

京都大学医学研究科 社会健康医学系専攻

MCR コース院生 (1 期～16 期生:平成 18～令和 3 年卒) 業績

(2021 年 2 月 05 日現在) 下線は MCR コース院生・卒業生です。

英文原著

<in press>

<2021 年>

Ida S, Kaneko R, Imataka K, Fujiwara R, Murata K. Are diabetes-related factors associated with the social roles of elderly patients with diabetes? ***Journal of Diabetes and its Complications***. 2021(in press).

Kamitani T, Wakita T, Wada O, Mizuno K, Kurita N#. (#corresponding author) U-TEST, a simple decision support tool for the diagnosis of sarcopenia in orthopedic patients: The SPSS-OK study. ***British Journal of Nutrition***. 2021: (in press).

<2020 年>

Fujii T, Udy AA, Nichol A, Bellomo R, Deane AM, El-Khawas K, Thummaporn N, Serpa Neto A, Bergin H, Short-Burchell R, Chen CM, Cheng KH, Cheng KC, Chia C, Chiang FF, Chou NK, Fazio T, Fu PK, Ge V, Hayashi Y, Holmes J, Hu TY, Huang SF, Iguchi N, Jones SL, Karumai T, Katayama S, Ku SC, Lai CL, Lee BJ, Liaw WJ, Ong CTW, Paxton L, Peppin C, Roodenburg O, Saito S, Santamaria JD, Shehabi Y, Tanaka A, Tiruvoipati R, Tsai HE, Wang AY, Wang CY, Yeh YC, Yu CJ, Yuan KC: Incidence and management of metabolic acidosis with sodium bicarbonate in the ICU: An international observational study. ***Crit Care***. (In Press)

Fujii T, Udy AA: Vitamin C for the prevention of post-partum pulmonary edema in patients with severe preeclampsia: Should we follow the Yellow Brick Road? ***Anaesth Crit Care Pain Med***. (In Press)

Fukuhara S, Asai K, Kakeno A, Umebachi C, Yamanaka S, Watanabe T, Yamazaki T, Nakao K, Setoh K, Kawaguchi T, Morita S, Nakayama T, Matsuda F, Bessho K: Nagahama Study Group: Association of Education and Depressive Symptoms with Tooth Loss. ***J Dent Res*** 2020. (In Press)

Fukuma S, Ikenoue T, Yamada Y, Saito Y, Green J, Nakayama T, Fukuhara S: Changes in drug utilization after publication of clinical trials and drug-related scandals in Japan: an interrupted time series analysis, 2005-2017. ***J Epidemiol*** 2020, (In Press)

Hamada K, Horikawa Y, Shiwa Y, Techigawara K, Nagahashi T, Fukushima D, Nishida S, Koyanagi R, Kawano K, Nishino N, Honda M: Clinical benefit of the multibending endoscope for gastric endoscopic submucosal dissection: a randomized controlled trial. ***Endoscopy*** 2020. (In Press)

Hara T, Hijikata Y, Matsubara Y, Watanabe N: Pharmacological interventions versus placebo, no treatment or usual care for osteoporosis in people with chronic kidney disease stages 3-5D (Review). ***Cochrane Database of Systematic Reviews*** 2020. (In Press)

Hatakeyama T, Kobayashi D, Otani T, Nishimura T, Hidari H, Miyoshi H, Sakaida K, Kawamura T, Iwami T: Diagnostic ability of a newly developed system for recognition of cardiac arrests. ***J Cardiol***. (In Press)

Hattori S, Yokota H, Takada T, Horikoshi T, Takishima H, Mikami W, Mukai H, Funakoshi H, Naganuma T, Yano T, Terada K, Inokuchi R, Tsuchiya S, Akutsu A, Saiga A, Kubota Y, Wada T, Takada A, Fujimoto H, Uno T: Impact of Clinical Information on CT Diagnosis by Radiologists and Subsequent Clinical Management by Physicians in Patients with Acute Abdominal Pain. ***Eur Radiol*** 2020. (In Press)

Hijikata Y, Kamitani T, Otani K, Konno S, Fukuhara S, Yamamoto Y: Association of Lumbar Spinal Stenosis With Severe Disability and Mortality Among Community Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in the Aizu Cohort Study. **Spine** 2020. (In Press)

Hirota T, McElroy E, So R: Network Analysis of Internet Addiction Symptoms Among a Clinical Sample of Japanese Adolescents with Autism Spectrum Disorder. **J Autism Dev Disord** 2020. (In Press)

Hosogi H, Obama K, Tsunoda S, Hisamori S, Nishigori T, Tanaka E, Satoh S, Okabe H, Kanaya S, Sakai Y: Educational application of intraoperative records from an energy device in laparoscopic gastrectomy: a preliminary report. **Surg Today** 2020. (In Press)

Inui T, Watanabe Y, Kurata Y, Suzuki T, Matsui K, Ishii K, Kurozumi T, Kawano H. Early postoperative Barthel index score and long-term walking ability in patients with trochanteric fractures walking independently before injury: a retrospective cohort study. **Arch Orthop Trauma Surg.** 2020, Epub ahead of print.

Itabashi F, Hirata T, Kogure M, Narita A, Tsuchiya N, Nakamura T, Nakaya N, Sasaki R, Takanashi N, Sakata K, Tanno K, Sugawara J, Kuriyama S, Tsuji I, Kure S, Hozawa A. Combined associations of liver enzymes and obesity with diabetes mellitus prevalence: The Tohoku Medical Megabank Community-based Cohort Study. **J Epidemiol.** 2020 (Accepted 8 December 2020)

Kaneko M, Aoki T [equally contributed] , Goto R, Ozone S, Haruta J. Better Patient Experience is Associated with Better Vaccine Uptake in Older Adults: Multicenter Cross-sectional Study. **J Gen Intern Med.** 2020 (Epub ahead of print).

Kato M, Hori H, Inoue T, Iga J, Iwata M, Inagaki T, Shinohara K, Imai H, Murata A, Mishima K, Tajika A: Discontinuation of antidepressants after remission with antidepressant medication in major depressive disorder: a systematic review and meta-analysis. [published online ahead of print, 2020 Jul 23]. **Mol Psychiatry.** 2020;10.

Kinoshita H, Aoki T [equally contributed] , Motoki H, Wakita T, Onishi Y, Watanabe-Fujinuma E, Kuwahara K. Patient journey and disease-related burden in Japanese patients with chronic thromboembolic pulmonary hypertension: A mixed methods study. **Value Health Reg Issues.** 2020 (in press).

Kurita N#, Wakita T, Fujimoto S, Yanagi M, Koitabashi K, Suzuki T, Yazawa M, Kawarazaki H, Shibagaki Y, Ishibashi Y. Hopelessness and depression predict sarcopenia in advanced CKD and dialysis: a multicenter cohort study. (#corresponding author) **The Journal of Nutrition, Health & Aging.** 2020; in press.

Luo Y, Ostinelli EG, Sahker E, Chaimani A, Kataoka Y, Ogawa Y, Cipriani A, Salanti G, Furukawa TA. Antidepressant prescriptions have not fully reflected evolving evidence from cumulative network meta-analyses and guideline recommendations. **Journal of Clinical Epidemiology.** 2020 (in press)

Maiko Shimosato, Keita Asai, Naosuke Yokomichi, Keiji Nagano, Naoki Sakane. Diagnostic accuracy of patient-reported dry mouth as a predictor for oral dryness in terminally ill cancer patients. **Support Care Cancer.** 2020 (in press).

Matsubayashi M, Kobayashi T, Okabayashi S, Nakano M, Sagami S, Ozaki R, Kiyohara H, Morikubo H, Asonuma K, Miyatani Y, Maeda S, Hibi T. Determining the usefulness of Capsule Scoring of Ulcerative Colitis in predicting relapse of inactive ulcerative colitis. **J Gastroenterol Hepatol.** 2020 (in press).

Miyashita J*, Hayashi S* (*equal contribution), Yamamoto Y. Association between direct interpersonal involvement with a dying family member and discussions regarding advance care planning among Japanese older adults. ***Geriatr Gerontol Int***. 2020 (in press).

Miyashita J, Kohno A, Shimizu S, Kashiwazaki M, Kamihiro N, Okawa K, Fujisaki M, Fukuhara S, Yamamoto Y. Healthcare providers' perceptions on the timing of initial advance care planning discussions in Japan: A mixed-methods study. ***J Gen Intern Med*** 2020 (in press).

Mizuno K, Kanazawa Y, Takeuchi M, Kishimoto Y, Kawakami K, Omori K. Indications and postoperative outcomes of surgery for laryngotracheal stenosis: A descriptive study. ***Auris Nasus Larynx***. 2020 (in press).

Mochizuki K, Fujii T, Paul E, Anstey M, Pilcher DV, Bellomo R. Early Metabolic Acidosis in Critically Ill Patients: A Binational Multicentre Study. ***Crit Care Resus***. 2020. (in press).

Murasawa M, Uehara A, Suzuki T, Shimizu S, Kojima S, Uchida D, Okamoto T, Naganuma T, Sasaki S, Imai N, Chikaraishi A, Matsukawa S, Kawarazaki H, Sakurada T, Shibagaki Y. Association between pill burden and interdialytic weight gain in patients with hemodialysis: a multi-center cross-sectional study. ***Ther Apher Dial***. 2020 (in press).

Miyashita J, Kohno A, Yamamoto Y, Shimizu S, Azuma T, Takada T, Hayashi M, Fukuhara S. How Psychosocial Factors Contribute to Japanese Older Adults' Initiation of Advance Care Planning Discussions: A Qualitative Study. ***J Appl Gerontol***. 2020 (in press).

Naganuma T*, Takahashi S*, Takehisa T, Kurita N, Omae K, Yoshioka T, Ohnishi T, Ito F, Fukuma S, Hamaguchi S, Fukuhara S, and the Sukagawa Study Group (*equally contributed). Cohort Profile: A super-elderly population-based cohort in Japan (the Sukagawa Study). ***Int J Epidemiol***. 2020 (in press).

Nishikawa M, Honda M, Kimura R, Kobayashi A, Yamaguchi Y, Hori S, Kobayashi H, Kawamura H, Nakayama Y, Todate Y, Takano Y, Yamaguchi H, Hamada K, Iketani S, Seto I, Izumi Y, Seto K. The effects of intensive oral care before surgery for gastric cancer patients. ***Oral Dis***. 2020 (in press).

Nobuaki Hoshino, Yudai Fukui, Koya Hida, Kazutaka Obama. Similarities and differences between study designs in short- and long-term outcomes of laparoscopic versus open low anterior resection for rectal cancer: A systematic review and meta-analysis of randomized, case-matched, and cohort studies. ***Ann Gastroenterol Surg***. 2020 (in press).

Noda M, Yoshida S, Mishina H, Matsubayashi K, Kawakami K. Association between maternal hypertensive disorders of pregnancy and child neurodevelopment at 3 years of age: a retrospective cohort study. ***J Dev Orig Health Dis***. 2020 (in press)

Okada A, Okada Y, Kandori K, Nakajima S, Okada N, Matsuyama T, Kitamura T, Narumiya H, Iiduka R. Associations between initial serum pH value and outcomes of pediatric out-of-hospital cardiac arrest. ***Am J Emerg Med***. 2020 (in press).

Okada A, Okada Y, Narumiya H, Ishii W, Kitamura T, Iiduka R. Body temperature and in-hospital mortality in trauma patients: analysis of a nationwide trauma database in Japan. ***Eur J Trauma Emerg Surg***. 2020 (in press).

Okada Y, Nakayama Y, Hashimoto K, Koike K, Watanabe N. Ramped versus sniffing position for tracheal intubation: A systematic review and meta-analysis. ***Am J Emerg Med***. 2020 (in press).

Omae K, Kurita N#, Takahashi S, Fukuma S, Yamamoto Y, Fukuhara S, and The

Sukagawa Study Group. Association of advanced glycation end-product accumulation with overactive bladder in community-dwelling elderly: A cross-sectional Sukagawa study. (#corresponding author) **Asian J Urol** 2020 (in press).

Priyanka P, Zarbock A, Izawa J, Gleason TG, Renfurum RW, Kellum JA. The impact of acute kidney injury by serum creatinine or urine output criteria on major adverse kidney events in cardiac surgery patients. **J Thorac Cardiovasc Surg.** 2020 (in press).

Sagami S, Kobayashi T, Miyatani Y, Okabayashi S, Yamazaki H, Takada T, Kinoshita K, Allocca M, Kunisaki R, Ramaswamy PK, Shiraki M, Hibi T, Kataoka Y. Accuracy of ultrasound for evaluation of colorectal segments in patients with inflammatory bowel diseases: systematic review and meta-analysis. **Clin Gastroenterol Hepatol.** 2020(in press)

Sakata M, Toyomoto R, Yoshida K, Luo Y, Nakagami Y, Aoki S, Irie T, Sakano Y, Suga H, Sumi M, Muto T, Shiraishi N, Sahker E, Uwatoko T & Furukawa TA. Development and validation of the cognitive behavioral therapy skills scale among college students. **Evidence-Based Mental Health** 2020(in press)

Shimokaze T, Yamamoto K, Miyamoto Y, Toyoshima K, Katsumata K, Saito T. Acute respiratory effect of transpyloric feeding for respiratory exacerbation in preterm infants. **J Perinat Med.** 2020(in press)

Soeno S, Takada T, Takehima T, Kaneyama M, Sagawa M, Hayashi M, Miyashita J, Azuma T, Fukuma S, Fukuhara S. Association between physical restraint and functional decline among older inpatients admitted with pneumonia in an acute care hospital: a retrospective cohort study. **Arch Gerontol Geriatr.** 2020(in press)

Sugiura S, Hiramitsu Y, Futamura M, Kamioka N, Yamaguchi C, Umemura H, Ito K, Camargo CA Jr. Prevalence and Associated Factors of Wheeze in Early Infancy. **Pediatr Int.**2020(in press)

Sukul N, Karaboyas A, Csomor PA, Schaufler T, Wen W, Menzaghi F, Rayner HC, Hasegawa T, Al Salmi I, Al-Ghamdi SMG, Guebre-Egziabher F, Ureña-Torres PA, Pisoni RL. Self-Reported Pruritus and Clinical, Dialysis-Related, and Patient-Reported Outcomes in Hemodialysis Patients. **Kidney Medicine.** 2021(in press)

Taito S, Kataoka Y. Assessment of publication trends of systematic reviews and randomized controlled trials of rehabilitation. **Ann Phys Rehabil Med.** 2020(in press)

Takada T, Inokuchi R, Kim H, Sasaki S, Terada K, Yokota H, Hattori S, Mikami W, Kubota T, Fukuhara S. Is "Pain Before Vomiting" Useful?: Diagnostic Performance of the Classic Patient History Item in Acute Appendicitis. **Am J Emerg Med.** 2020(in press)

Takashi S, Koya H, Nobuaki H, Takashi Y, Dai M, Masahiro Y, Yoshio K, Satoshi Y, Masato K, Akiyoshi K, Hiroyasu A, Tomoaki O, Satoshi M, Yoshiharu S. Changes in the sexual function of male patients with rectal cancer over a 2-year period from diagnosis to 24-month follow-up: A prospective, multicenter, cohort study. **Journal of Surgical Oncology** 2020(in press)

Terada Y, Miyashita T, Nagamine Y, Goto T. A modified algorithm for choosing the most appropriate intraoperative pacemaker mode for patients with permanent pacemaker in non-cardiac surgery. **J Anesth.** 2020(in press).

Tsugihashi Y, Hirose M, Iida H, Hayashi S, Yasunaka M, Shirahige Y, Kurita N, and the ZEVIOUS group. Validating care-needs level against self-reported measures of functioning, disability and sarcopenia among Japanese patients receiving home medical

care: The Zaitaku Evaluative Initiatives and Outcome Stud. **Geriatrics & Gerontology International** 2021(in press).

Tsukahara M, So R, Yada Y, Kodama M, Kishi Y. Clinical Utility and Safety of Slower-than-Recommended Titration of Clozapine for Treatment-Resistant Schizophrenia: a Retrospective Cohort Study. **Psychiatr Q.** 2020(in press)

Tsunoda S, Obama K, Hisamori S, Hashimoto K, Nishigori T, Sakai Y. Simple technique of azygos arch division and retraction for minimally invasive esophagectomy. **Esophagus.** 2020(in press)

Tsunoda S, Obama K, Hisamori S, Nishigori T, Okamura R, Maekawa H, Sakai Y. Lower Incidence of Postoperative Pulmonary Complications Following Robot-Assisted Minimally Invasive Esophagectomy for Esophageal Cancer: Propensity Score-Matched Comparison to Conventional Minimally Invasive Esophagectomy. **Ann Surg Oncol.** 2020(in press)

Umemoto K, Kubo S, Nishida Y, Higashiyama A, Kawamura K, Kubota Y, Hirata T, Hirata A, Sata M, Kuwabara K, Miyazaki J, Kadota A, Iida M, Sugiyama D, Miyamatsu N, Miyamoto Y, Okamura T. Physique at birth and cardiovascular disease risk factors in Japanese urban residents: the KOBE study. **J Atheroscler Thromb.** 2020(in press)

Wada O, Yamada M, Kamitani T, Mizuno K, Kurita N#. The associations of phase angle with the structural severity and quadriceps strength among patients with hip osteoarthritis: The SPSS-OK study. **Clinical Rheumatology** 2020(in press)

Wakamatsu T, Iwasaki Y, Yamamoto S, Katuo K, Goto S, Narita I, Kazama JJ, Tanaka K, Ito A, Ozasa R, Nakano T, Miyakoshi C, Onishi Y, Fukuma S, Fukuhara S, Yamato H, Fukagawa M, Akizawa T. Type-I Angiotensin II Receptor Blockade Reduces Uremia-induced Deterioration of Bone Material Properties. **The Journal of Bone and Mineral Research** 2020(in press)

Watanabe J, Ikegami Y, Tsuda A, Kakehi E, Kanno T, Ishikawa S, Kataoka Y. Lidocaine spray versus viscous lidocaine solution for pharyngeal local anesthesia in upper gastrointestinal endoscopy: systematic review and meta-analysis. **Dig Endosc.**2020(in press)

Watanabe K, Otani K, Tominaga R, Kokubun Y, Sekiguchi M, Fukuma S, Kamitani T, Nikaido T, Kato K, Kobayashi H, Yabuki S, Kikuchi S, Konno S. Sagittal imbalance and symptoms of depression in adults: Locomotive Syndrome and Health Outcomes in the Aizu Cohort Study (LOHAS). **European Spine Journal** 2020(in press)

Yamada Y, Uchida T, Shiose T, Ikenoue T, Kusunoki M, Kuwata C, Tatsumi A, Fukuma S. Learning Health System in a Senior Retirement Community: A Platform to Promote Implementation Research. **J Gerontol Geriatr Med.** 2020(in press)

Yamashita T, Sakamoto K, Tabata N, Ishii M, Sato R, Nagamatsu S, Motozato K, Yamana K, Sueta D, Araki S, Arima Y, Yamamoto E, Takashio S, Fujisue K, Fujimoto K, Shimomura H, Tsunoda R, Maruyama H, Nakamura N, Sakaino N, Nakamura S, Yamamoto N, Matsumura T, Kajiwara I, Tayama S, Sakamoto T, Nakao K, Oshima S, Kaikita K, Hokimoto S, Tsujita K; Kumamoto Intervention Conference Study (KICS) Investigators. Imaging-guided PCI for event suppression in Japanese acute coronary syndrome patients: community-based observational cohort registry. **Cardiovasc Interv Ther.** 2020 (in press)

Yano T, Takada T, Fujiishi R, Fujii K, Honjo H, Miyajima M, Takeshima T, Hayashi M, Miyashita J, Azuma T, Fukuhara S. Usefulness of computed tomography in the diagnosis of acute pyelonephritis in older patients suspected of infection with unknown focus. **Acta**

Radiologica. 2020(in press)

Yoshida M, Izawa J, Wakatake H, Saito H, Kawabata C, Matsushima S, Suzuki A, Nagatomi A, Yoshida T, Masui Y, Fujitani S. Mortality associated with new risk classification of developing refeeding syndrome in critically ill patients: A cohort study. **Clin Nutr.** 2020(in press)

Yoshioka T, Omae K, Kawada T, Inoue Y, Sugimoto M, Oeda T, Yamasaki T, Fujio K, Otsuki H, Uehara S, Araki M, Fukuhara S. Negative impact of being underweight on the outcomes of single-session shockwave lithotripsy in patients with upper urinary tract calculi: a retrospective cohort study. **World J Urol.** 2020(in press)

Ikari Y, Yajima N, Miwa Y. The association between age and adverse events due to biologic disease-modifying antirheumatic drugs in patients with rheumatoid arthritis: a retrospective cohort study. **Medicine** 2020(in press)

<2021 年>

Funada S, Watanabe N, Goto T, Negoro H, Akamatsu S, Uozumi R, Kishimoto S, Ichioka K, Segawa T, Furukawa TA, Ogawa O: Cognitive behavioral therapy for overactive bladder in women: study protocol for a randomized controlled trial. **Low Urin Tract Symptoms** 2021, 13:69-78.

Kitamura K, Sakai K, Sasaki K, Matsui T, Takasato Y, Sugiura S, Ito K. Efficacy, safety, and parental anxiety in a randomized trial of two dietary instruction methods for children with suspected hen's egg allergy. **Allergol Int.** 2021 Jan;70(1):114-20.

Miyashita J, Shimizu S, Azuma T, Takeshima T, Suzuki R, Fukuhara S, Yamamoto Y. Experience as an Informal Caregiver and Discussions Regarding Advance Care Planning in Japan. **J Pain Symptom Manage.** 2021;61(1):63-70.

Nakajima N, Mizoe N, Misawa F, Yamashita T, So R, Kitagawa K, Tanimoto K, Kishi Y, Fujii Y, Takeuchi H. Longitudinal changes in antipsychotic dose in patients treated with long-acting injectable second-generation antipsychotics. **Int Clin Psychopharmacol.** 2021;36(2):84-8.

Nakamaru R, Yamamoto K, Akasaka H, Rakugi H, Kurihara I, Yoneda T, Ichijo T, Katabami T, Tsuiki M, Wada N, Yamada T, Kobayashi H, Tamura K, Ogawa Y, Kawashima J, Inagaki N, Fujita M, Watanabe M, Kamemura K, Okamura S, Tanabe A, Naruse M; JPAS/JRAS study group. Sex Differences in Renal Outcomes after Medical Treatment for Bilateral Primary Aldosteronism. **Hypertension.** 2021;77(2):537-45.

Nakanishi N, Kaikita K, Ishii M, Kuyama N, Tabata N, Ito M, Yamanaga K, Fujisue K, Hoshiyama T, Kanazawa H, Hanatani S, Sueta D, Takashio S, Arima Y, Araki S, Usuku H, Nakamura T, Suzuki S, Yamamoto E, Soejima H, Matsushita K, Tsujita K. Development and assessment of total thrombus-formation analysis system-based bleeding risk model in patients undergoing percutaneous coronary intervention. **Int J Cardiol.** 2021;325:121-6.

Okamura R, Kurzrock R, Mallory RJ, Fanta PT, Burgoyne AM, Clary BM, Kato S, Sicklick JK. Comprehensive genomic landscape and precision therapeutic approach in biliary tract cancers. **Int J Cancer.** 2021;148(3):702-12.

Omae K, Kurita N, Takeshima T, Naganuma T, Takahashi S, Yoshioka T, Ohnishi T, Ito F, Hamaguchi S, Fukuhara S. Significance of Overactive Bladder as a Predictor of Falls in Community Dwelling Older Adults: 1-Year Followup of the Sukagawa Study. **J Urol.** 2021;205(1):219-25.

Suda K, Akagi T, Ikeda HO, Kameda T, Hasegawa T, Miyake M, Kido A, Nakano E,

Tsujikawa A. Atopic dermatitis as a risk factor for severe visual field loss in youth—a retrospective cohort study of glaucoma under steroid treatment. *Graefes Arch Clin Exp Ophthalmol*. 2021;259(1):129-36. doi: 10.1007/s00417-020-04925-z.

Sakihara T, Otsuji K, Arakaki Y, Hamada K, Sugiura S, Ito K. Randomized trial of early infant formula introduction to prevent cow's milk allergy. *J Allergy Clin Immunol*. 2021;147(1):224-32.e8. doi: 10.1016/j.jaci.2020.08.021.

Shimada H, Kataoka Y, Tsunemitsu T, Takeoka H. The effectiveness of a specialized team intervention on prognosis in patients undergoing continuous renal replacement therapy: A retrospective cohort study. *Clin Nephrol*. 2021;95(2):87-92. doi: 10.5414/CN110327.

Tominaga R, Yamazaki S, Fukuma S, Goto R, Sekiguchi M, Otani K, Iwabuchi M, Shirado O, Fukuhara S, Konno S. Association between single limb standing test results and healthcare costs among community-dwelling older adults. *Arch Gerontol Geriatr*. Jan-Feb 2021;92:104256 doi: 10.1016/j.archger.2020.104256.

Usui T, Zhao J, Fuller D, Hanafusa N, Hasegawa T, Fujino H, Nomura T, Zee J, Young E, Robinson BM, Nangaku M. Association of Erythropoietin Resistance and Fibroblast Growth Factor 23 in Dialysis Patients: Results from the J-DOPPS Study. *Nephrology*. 2021;26:46-53.

Watanabe T, Asai K, Fukuhara S, Uozumi R, Bessho K. Effectiveness of surgery and hyperbaric oxygen for antiresorptive agent-related osteonecrosis of the jaw: A subgroup analysis by disease stage. *PLoS One*. 2021;4;16(1):e0244859. doi: 10.1371/journal.pone.0244859.

Yahata S, Takeshima T, Kenzaka T, Okayama M. Fostering student motivation towards community healthcare: a qualitative study. *BMJ Open*. 2021;7;11(1):e039344.

<2020 年>

Abe T, Matsubara T, Sasaki S, Oda H, Imura H, Mogi T: The epidemiology of minor surgical problems during specialists' absence: single center, descriptive study. *Journal of General and Family Medicine* 2020, 21: 282-7.

Ahmed N, Mauad VAQ, Gomez-Rojas O, Sushea A, Castro-Tejada G, Michel J, Liñares JM, Pedrosa Salles L, Candido Santos L, Shan M, Nassir R, Montañez-Valverde R, Fabiano R, Danyi S, Hassan Hosseini S, Anand S, Ahmad U, Casteleins WA, Sanchez AT, Fouad A, Jacome A, Moura de Oliveira Paiva MS, Saavedra Ruiz AG, Grochowski RA, Toyama M, Nagi H, Sarvodelli MZ, Halalau A: The Impact of Rehabilitation-oriented Virtual Reality Device in Patients With Ischemic Stroke in the Early Subacute Recovery Phase: Study Protocol for a Phase III, Single-Blinded, Randomized, Controlled Clinical Trial. *J Cent Nerv Syst Dis* 2020,12:1179573519899471.

Aita T, Hamaguchi S, Nakagawa H, Takahashi S, Naganuma T, Shimotani Y, Nakamoto Y, Yaguchi K, Kataoka Y, Anan K: Blood Culture Procedures in a Busy Emergency Room: Balancing or Biasing Groups during Randomization. *Clin Infect Dis* 2020, doi:10.1093/cid/ciaa1794.

Akechi T, Sugishita K, Chino B, Itoh K, Ikeda Y, Shimodera S, Yonemoto N, Miki K, Ogawa Y, Takeshima N, Kato T, Furukawa TA: Whose depression deteriorates during acute phase antidepressant treatment? *J Affect Disord* 2020, 260:342-8.

Amari K, Fukumori N, Anzai K, Yamashita SI: The Diagnostic Process for the Evaluation of Acute Abdominal Pain by Resident Trainees in Japan: A Cross-sectional Study. *Intern Med* 2020, 59:1257-65.

Andaur Navarro CL, Damen JAAG, Takada T, Nijman SWJ, Dhiman P, Ma J, Collins GS, Bajpai R, Riley RD, Moons KG, Hooft L: Protocol for a systematic review on the methodological and reporting quality of prediction model studies using machine learning techniques. *BMJ Open* 2020, 10:e038832.

Aoki T, Fukuhara S: Associations of Types of Primary Care Facilities with Adult Vaccination and Cancer Screening in Japan. *Int J Qual Health Care* 2020, 32:373-8.

Aoki T, Watanuki S: Multimorbidity and patient-reported diagnostic errors in the primary care setting: multicentre cross-sectional study in Japan. *BMJ Open* 2020, 10:e039040.

Aoki T, Yamamoto Y, Nakata T: Translation, adaptation, and validation of the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) for use in Japan: A multicenter cross-sectional study. *BMJ Open* 2020, 10:e040240.

Arai H, Takeuchi J, Nozoe M, Fukuoka T, Matsumoto S, Morimoto T: Association Between Active Gait Training for Severely Disabled Patients with Nasogastric Tube Feeding or Gastrostoma and Recovery of Oral Feeding: A Retrospective Cohort Study. *Clin Interv Aging* 2020, 15:1963-70.

Asada S, Yokoyama K, Miyakoshi C, Fukuma S, Endo Y, Wada M, Nomura T, Onishi Y, Fukagawa M, Fukuhara S, Akizawa T: Relationship between serum calcium or phosphate levels and mortality stratified by parathyroid hormone level: an analysis from the MBD-5D Study. *Clin Exp Nephrol* 2020, 24:630-7.

Ashi N, Kataoka Y, Takemura T, Shirakawa C, Okazaki K, Sakurai A, Imakita T, Ikegaki S, Matsumoto H, Saito E, Takata H, Kaku S, Wada N, Shinomiya M, Otoshi T, Shimada M, Nikaido J, Iki R, Hirano K, Hirai T, Endo K, Hirabayashi M, Naganuma T: Factors Influencing Social Isolation and Loneliness Among Lung Cancer Patients: A Cross-sectional Study. *Anticancer Res* 2020, 40:7141-5.

Aya Takeya, Emi Adachi , Yoshimitsu Takahashi , Eiji Kondoh , Masaki Mandai , Takeo Nakayama: Trial of labor after cesarean delivery (TOLAC) in Japan: rates and complications. *Arch Gynecol Obstet* 2020, 301:995-1001.

Banno M, Tsujimoto Y, Kataoka Y. The majority of reporting guidelines are not developed with the Delphi method: A systematic review of reporting guidelines. *J Clin Epidemiol* 2020. Available from: <https://doi.org/10.1016/j.jclinepi.2020.04.010>

Banno M, Tsujimoto Y, Kataoka Y: Using the Cochrane Central Register of Controlled Trials to identify clinical trial registration is insufficient: a cross-sectional study. *BMC Med Res Methodol* 2020, 20:200.

Crooks B, McLaughlin J, Matsuoka K, Kobayashi T, Yamazaki H, and Limdi JK: The dietary practices and beliefs of people living with inactive ulcerative colitis. *European Journal of Gastroenterology & Hepatology* 2020, 10:1097.

Ebina K, Hirano T, Maeda Y, Yamamoto W, Hashimoto M, Murata K, Takeuchi T, Shiba H, Son Y, Amuro H, Onishi A, Akashi K, Hara R, Katayama M, Yamamoto K, Kumanogoh A, Hirao M: Drug retention of 7 biologics and tofacitinib in biologics-naïve and biologics-switched patients with rheumatoid arthritis -The ANSWER cohort study. *Arthritis Res Ther* 2020, 22:142.

Ebina K, Hirano T, Maeda Y, Yamamoto W, Hashimoto M, Murata K, Takeuchi T, Nagai K, Son Y, Amuro H, Onishi A, Jinno S, Hara R, Katayama M, Yamamoto K, Kumanogoh A, Hirao M: Drug retention of secondary biologics or JAK inhibitors after tocilizumab or abatacept failure as first biologics in patients with rheumatoid arthritis -the ANSWER cohort

study. *Clin Rheumatol* 2020. 39:2563-72.

Fujii T, Deane AM, Nair P: Metabolic Support in Sepsis - Corticosteroids and Vitamins: the why, the when, the how. *Curr Op Crit Care* 2020, 26:363-8.

Fujii T, Fowler R, Vincent JL. Vitamin C and thiamine for sepsis: time to go back to fundamental principles. *Intensive Care Med* 2020, 46:2061-3.

Fujii T, Luethi N, Young PJ, Frei DR, Eastwood GM, French CJ, Deane AM, Shehabi Y, Hajjar LA, Oliveira G, Udy AA, Orford N, Edney SJ, Hunt AL, Judd HL, Bitker L, Cioccarl L, Naorungroj T, Yanase F, Bates S, McGain F, Hudson EP, Al-Bassam W, Dwivedi DB, Peppin C, McCracken P, Orosz J, Bailey M, Bellomo R; VITAMINS Trial Investigators. Effect of Vitamin C, Hydrocortisone, and Thiamine vs Hydrocortisone Alone on Time Alive and Free of Vasopressor Support Among Patients With Septic Shock: The VITAMINS Randomized Clinical Trial. *JAMA* 2020, 323:423-31.

Fujii T, Udy AA, Bellomo R: Vitamin C, Hydrocortisone, and Thiamine for Septic Shock-In Reply. *JAMA* 2020, 323:2204-5.

Fujii T, Udy AA: Additional trials of Vitamin C in septic shock: a bag of mixed fruit. *Chest* 2020, 158:13-4.

Fujita M, Kitagawa T, Hirahata M, Inui T, Kawano H, Iwai H, Inanami H, Koga H: Comparative Study between Full-Endoscopic Discectomy and Microendoscopic Discectomy for the Treatment of Lumbar Disc Herniation. *Medicina* 2020, 56:710.

Fukuma S, Iizuka T, Ikenoue T, Tsugawa Y: Association of the National Health Guidance Intervention for Obesity and Cardiovascular Risks With Health Outcomes Among Japanese Men. *JAMA Internal Medicine* 2020, e204334.

Fukuma S, Ikenoue T, Bragg-Gresham J, Noroton E.C, Yamada Y, Kohmoto D, Saran R: Body mass index change and estimated glomerular filtration rate decline in a middle-aged population: health check-based cohort in Japan. *BMJ Open* 2020, 10:e037247.

Fukuma S, Ikenoue T, Saito Y, Yamada Y, Saigusa Y, Misumi T, Taguri M: Lack of a bridge between screening and medical management for hypertension: health screening cohort in Japan. *BMC Public Health* 2020, 20:1419.

Funabashi S, Omote K, Nagai T, Honda Y, Nakano H, Honda S, Iwakami N, Hamatani Y, Nakai M, Nishimura K, Asaumi Y, Aiba T, Noguchi T, Kusano K, Yokoyama H, Yasuda S, Ogawa H, Anzai T: Elevated admission urinary N-acetyl- β -D-glucosamidase level is associated with worse long-term clinical outcomes in patients with acute heart failure. *Eur Heart J Acute Cardiovasc Care* 2020, 9:429-36.

Funada S, Tabara Y, Setoh K, Negoro H, Akamatsu S, Yoshino T, Yoshimura K, Watanabe N, Furukawa TA, Matsuda F, Ogawa O: Impact of Nocturia on Mortality: The Nagahama Study. *J Urol* 2020, 204:996-1002.

Funada S, Watanabe N, Goto T, Negoro H, Akamatsu S, Ueno K, Uozumi R, Ichioka K, Segawa T, Akechi T, Furukawa TA, Ogawa O. Clinical feasibility and acceptability of adding cognitive behavioral therapy to pharmacotherapy for drug-resistant overactive bladder in women: A single-arm pilot study. *BMC Urol* 2020, 20:129.

Furuta T, Tanaka K, Tagami K, Matsui T, Sugiura S, Kando N, Kanie Y, Naito M, Izumi H, Tanaka A, Sjölander S, Yokooji T, Matsuo H, Ito K: Exercise-induced allergic reactions on desensitization to wheat after rush oral immunotherapy. *Allergy* 2020, 75:1414-22.

Geersing GJ, Hendriksen JMT, Zuithoff NPA, Roes KC, Oudega R, Takada T, Schutgens REG, Moons KGM: Effect of tailoring anticoagulant treatment duration by applying a recurrence risk prediction model in patients with venous thromboembolism compared to usual care: A randomized controlled trial. ***PLoS Med*** 2020, 17:e1003142.

Goto S, Sakamoto T, Ganeko R, Hida K, Furukawa TA, Sakai Y: Subcuticular sutures for skin closure in non-obstetric surgery. ***Cochrane Database Syst Rev*** 2020, 4:CD012124.

Hamashima R, Uchino J, Morimoto Y, Iwasaku M, Kaneko Y, Yamada T, Takayama K.:Association of immune checkpoint inhibitors with respiratory infections : A review. ***Cancer Treat Rev*** 2020, 90 : 102109.

Hara M, Hayashi K, Kitamura T, Honda M, Tamaki M: A nationwide randomized, double-blind, placebo-controlled physicians' trial of loxoprofen for the treatment of fatigue, headache, and nausea after hangovers. ***Alcohol*** 2020, 84:21-5.

Hara T, Kimachi M, Akizawa T, Fukuhara S, Yamamoto Y: Interdialytic weight gain effects on hemoglobin concentration and cardiovascular events. ***Kidney international reports*** 2020,5:1670-8.

Hasegawa J, Kimachi M, Kurita N, Kanda E, Wakai S, Nitta K: The normalized protein catabolic rate and mortality risk of hemodialysis patients by frailty status: The Japanese Dialysis Outcomes and Practice Pattern Study (J-DOPPS). ***Journal of Renal Nutrition*** 2020, 30: 535-9.

Hashimoto K, Obama K, Tsunoda S, Hisamori S, Nishigori T, Sakaguchi M, Ueda Y, Nakanishi N, Sakai Y: Iatrogenic diaphragmatic hernia as a late complication of laparoscopic excisional biopsy of peritoneal nodules: A case report. ***Int J Surg Case Rep*** 2020, 67:169-72.

Hashimoto S, Nagai M, Ohira T, Fukuma S, Hosoya M, Yasumura S, Satoh H, Suzuki H, Sakai A, Ohtsuru A, Kawasaki Y, Takahashi A, Okazaki K, Kobashi G, Kamiya K, Yamashita S, Fukuhara S, Ohto H: Influence of post-disaster evacuation on incidence of hyperuricemia in residents of Fukushima prefecture; the Fukushima Health Management Survey. ***Clin Exp Nephrol*** 2020, 24:1025-32.

Hattori H, Hirata A, Kubo S, Nishida Y, Nozawa M, Kawamura K, Hirata T, Kubota Y, Sata M, Kuwabara K, Higashiyama A, Kadota A, Sugiyama D, Miyamatsu N, Miyamoto Y, Okamura T: Estimated 24-h urinary sodium-to-potassium ratio is related to renal function decline: A 6-year cohort study of Japanese urban residents. ***Int J Environ Res Public Health*** 2020; 17: E5811.

Hattori N, Kuroda M, Katano H, Takuma T, Ito T, Arai N, Yanai R, Sekizuka T, Ishii S, Miura Y, Tokunaga T, Watanabe H, Nomura N, Eguchi J, Hasegawa H, Nakamaki T, Wakita T, Niki Y: Candidatus Mycoplasma haemohominis in Human, Japan. ***Emerg Infect Dis*** 2020, 26:11-9.

Hayashi N, Kanda M, Omae K, Kodera Y : The efficacy of oxaliplatin combination adjuvant chemotherapy for elderly patients with stage III colorectal cancer. ***Nagoya J Med Sci*** 2020, 2: 603 – 11.

Hayashi Y, Yoshinaga N, Sasaki Y, Tanoue H, Yoshimura K, Kadowaki Y, Arimura Y, Yanagita T, Ishida Y: How was cognitive behavioural therapy for mood disorder implemented in Japan? A retrospective observational study using the nationwide claims database from FY2010 to FY2015. ***BMJ Open*** 2020, 10:e033365.

Hayashino Y, Okamura S, Tsujii S, Ishii H: Diabetes Distress and Care Registry at Tenri

Study Group: The joint association of diabetes distress and depressive symptoms with all-cause mortality in Japanese individuals with type 2 diabetes: a prospective cohort study (Diabetes Distress and Care Registry in Tenri [DDCRT 20]). *Diabetologia* 2020,63:2595-2604.

Hechtelt Jonker A, Hivert V, Gabaldo M, Batista L, O'Connor D, Aartsma-Rus A, Day S, Sakushima K, Ardigo D: Boosting delivery of rare disease therapies: the IRDiRC Orphan Drug Development Guidebook. *Nature reviews Drug discovery* 2020, 19:495–6.

Hirata K, Kimura T, Hirano S, Wada K, Kusuda S, Fujimura M: Outcomes of outborn very-low-birth-weight infants in Japan : Neonatal Research Network of Japan. *Arch Dis Child Fetal Neonatal Ed* 2020:fetalneonatal-2019-318594.

Hirata T, Arai Y, Yuasa S, Abe Y, Takayama M, Sasaki T, Kunitomi A, Inagaki H, Endo M, Morinaga J, Yoshimura K, Adachi T, Oike Y, Takebayashi T, Okano H, Hirose N: Associations of cardiovascular biomarkers and plasma albumin with exceptional survival to the highest ages. *Nat Commun* 2020, 11:3820.

Hirata T, Nakamura T, Kogure M, Tsuchiya N, Narita A, Miyagawa K, Nochioka K, Uruno A, Obara T, Nakaya N, Metoki H, Kikuya M, Sugawara J, Kuriyama S, Tsuji I, Kure S, Hozawa A : Reduced sleep efficiency measured using an objective device was related with an increased prevalence of home hypertension in Japanese adults. *Hypertens Res* 2020, 43:23-9.

Hirayama Y, Yamazaki H, Senda S, Hashimoto T: Valsalva maneuver Barrier Mouthpiece during Upper Endoscopy. *VideoGIE* 2020, 5:625-7.

Hisata Y, Sasaki E, Harada Y, Naokono H, Naito S, Sugioka T: Clinically Amyopathic Dermatomyositis Complicated by Rapidly Progressive Interstitial Lung Disease. *Journal of Hospital General Medicine* 2020, 2-3:85-9

Honda H, Kimachi M, Kurita N, Joki N, Nangaku M: Low rather than high mean corpuscular volume is associated with mortality in Japanese patients under hemodialysis. *Scientific Reports* 2020, 10:15663.

Honda M, Hori S, Kobayashi H, Miyakawa T, Kawamura H , Nakayama Y, Todate Y, Takano Y, Yamaguchi H, Hamada K: Surgical manipulation related to the risk of postoperative complications in laparoscopic gastrectomy: A study protocol. *Annals of Cancer Research and Therapy* 2020, 28:1-2.

Honda M, Kawamura H, Kobayashi H, Takiguchi K, Muto A, Yamazaki S, Teranishi Y, Shiraso S, Kono K, Hori S, Kamiga T, Iwao T, Yamashita N: An ascites grading system for predicting the prognosis of gastric cancer with peritoneum dissemination. *Annals of Gastroenterological Surgery* 2020, 4:660-6.

Hoshino J, Abe M, Hamano T, Hasegawa T, Wada A, Ubara Y, Takaichi K, Nakai S, Masakane I, Kosaku N: Glycated albumin and hemoglobin A1c levels and cause-specific mortality by patients'conditions among hemodialysis patients with diabetes: a 3-year nationwide cohort study. *BMJ Open Diabetes Research & Care* 2020, 8:e001642.

Hoshino N, Endo H, Hida K, Ichihara N, Takahashi Y, Hasegawa H, Kimura T, Kitagawa Y, Kakeji Y, Miyata H, Nakayama T, Sakai Y: Emergency surgery for gastrointestinal cancer: A nationwide study in Japan based on the National Clinical Database. *Ann Gastroenterol Surg* 2020, 4:549-61.

Hoshino N, Murakami K, Hida K, Hisamori S, Tsunoda S, Obama K, Sakai Y: Robotic versus laparoscopic surgery for gastric cancer : an overview of systematic reviews with quality assessment of current evidence. *Updates Surg* 2020, 72:573-82.

Hoshino T, [Yonekura H](#), Nakamori Y, Kamei M: Early versus late tracheostomy in patients with traumatic brain injury. *Intensive Care Med* 2020, 46:1286–7.

Hosonuma M, [Yajima N](#), Takahashi R, Yanai R, Matsuyama T, Toyosaki E, Saito J, Kusano K, Morita H: Fragmented QRS complex in patients with systemic lupus erythematosus at the time of diagnosis and its relationship with disease activity. *PLOS ONE* 2020: 15:e022702.

Hozawa A, Tanno K, Nakaya N, Nakamura T, Tsuchiya N, [Hirata T](#), Narita A, Kogure M, Nochioka K, Sasaki R, Takanashi N, Otsuka K, Sakata K, Kuriyama S, Kikuya M, Tanabe O, Sugawara J, Suzuki K, Suzuki Y, Kodama E, Fuse N, Kiyomoto H, Tomita H, Uruno A, Hamanaka Y, Metoki H, Ishikuro M, Obara T, Kobayashi T, Kitatani K, Takai-Igarashi T, Ogishima S, Satoh M, Ohmomo H, Tsuboi A, Egawa S, Ishii T, Ito K, Ito S, Taki Y, Minegishi N, Ishii N, Nagasaki M, Igarashi K, Koshiba S, Shimizu R, Tamiya G, Nakayama K, Motohashi H, Yasuda J, Shimizu A, Hachiya T, Shiwa Y, Tominaga T, Tanaka H, Oyama K, Tanaka R, Kawame H, Fukushima A, Ishigaki Y, Tokutomi T, Osumi N, Kobayashi T, Nagami F, Hashizume H, Arai T, Kawaguchi Y, Higuchi S, Sakaida M, Endo R, Nishizuka S, Tsuji I, Hitomi J, Nakamura M, Ogasawara K, Yaegashi N, Kinoshita K, Kure S, Sakai A, Kobayashi S, Sobue K, Sasaki M, Yamamoto M: Study profile of the Tohoku Medical Megabank community-based cohort study. *J Epidemiol* 2020.

Hsieh C, [Yamazaki H](#), Wang J, Kamitani T, [Yamamoto Y](#), Fukuhara S: Quality of Life and Disability-free Survival in the Elderly: the Locomotive Syndrome and Health Outcome in Aizu Cohort Study (LOHAS). *Journal of Aging and Health* 2020, 898264320970323.

[Ida S](#), Kaneko R, Imataka K, Okubo K, Shirakura Y, Azuma K, et al. Factors associated with social isolation and being homebound among older patients with diabetes: a cross-sectional study. *BMJ Open* 2020 Nov 5;10(11):e037528-2020-037528.

[Ida S](#), Kaneko R, Imataka K, Okubo K, Shirakura Y, Azuma K, et al. Preparation of the Japanese Version of the Diabetes Caregiver Activity and Support Scale and Verification of Its Reliability and Validity. *Diabetes Educ*. 2020 Oct;46(5):475-484.

[Ida S](#), Kaneko R, Imataka K, Okubo K, Shirakura Y, Azuma K, et al. Frequency of Social Isolation and Homeboundness and Their Relationships with High-Level Functional Capacity in Elderly Diabetic Patients. *Clin Interv Aging*. 2020 Aug 21;15:1439-47.

[Ida S](#), Kaneko R, Imataka K, Okubo K, Shirakura Y, Azuma K, et al. Effects of Antidiabetic Drugs on Muscle Mass in Type 2 Diabetes Mellitus. *Curr Diabetes Rev*. 2020 Jul 5.

[Ida S](#), Kaneko R, Imataka K, Okubo K, Shirakura Y, Azuma K, et al. Verification of the predictive validity for mortality of the SARC-F questionnaire based on a meta-analysis. *Aging Clin Exp Res*. 2020 May 25.

[Ida S](#), Kaneko R, Imataka K, Okubo K, Shirakura Y, Azuma K, et al. Effects of oral antidiabetic drugs and glucagon-like peptide-1 receptor agonists on left ventricular diastolic function in patients with type 2 diabetes mellitus: a systematic review and network meta-analysis. *Heart Fail Rev*. 2020 Feb 21.

[Ida S](#). Effects of Flash Glucose Monitoring on Dietary Variety, Physical Activity, and Self-Care Behaviors in Patients with Diabetes. *Journal of diabetes research*. 2020;2020:9463648.

[Ida S](#). Preparation, Reliability, and Validity of a Japanese Version of the "Satisfaction of Treatment among Caregivers of Dependent Type 2 Diabetic Patients" Questionnaire. *Journal of diabetes research*. 2020;2020:4960130.

Ide K, Yoshida S, Kimura T, Oita Y, Kawakami K. The general understanding and perceptions of the practical use of school health records: A questionnaire survey of parents from seven local municipalities in Japan. **School Health**. 2020;16:33-42.

Ide Y, Umeno Y, Tanaka N, Nagamine Y, Goto T, McMullan SP. Introduction of evolving roles of Japanese perianesthesia nurses. **J Anesth**. 2020;34:719-22.

Iemura T, Arai Y, Kanda J, Kitawaki T, Hishizawa M, Kondo T, Yamashita K, Takaori-Kondo A: Impact of HLA class I allele-level mismatch on viral infection within 100 days after cord blood transplantation. **Sci Rep**. 2020, 10(1):21150.

Iida H, Fujimoto S, Wakita T, Yanagi M, Suzuki T, Koitabashi K, Yazawa M, Kawarazaki H, Ishibashi Y, Shibagaki Y, Kurita N. Psychological Flexibility and Depression in Advanced CKD and Dialysis. (#corresponding author) **Kidney Medicine**. 2020; 2: 684-91.e1: doi: 10.1016/j.xkme.2020.07.004.

Ikari T, Hiratsuka Y, Yamaguchi T, Maeda I, Mori M, Uneno Y, Taniyama T, Matsuda Y, Oya K, Tagami K, Inoue A. "3-Day Surprise Question" to predict prognosis of advanced cancer patients with impending death: Multicenter prospective observational study. **Cancer Med**. 2020 Dec 21. doi: 10.1002/cam4.3689.

Imai Y, Hirata T, Saitoh S, Ninomiya T, Miyamoto Y, Ohnishi H, Murakami Y, Iso H, Tanaka S, Miura K, Tamakoshi A, Yamada M, Kiyama M, Ueshima H, Ishikawa S, Okamura T. Impact of hypertension stratified by diabetes on the lifetime risk of cardiovascular disease death in Japan: A pooled analysis of data from the evidence for cardiovascular prevention from observational cohorts in Japan study. **Hypertens Res**. 2020; 43(12): 1437-44.

Inagaki-Kawata Y, Yoshida K, Kawaguchi-Sakita N, Kawashima M, Nishimura T, Senda N, Shiozawa Y, Takeuchi Y, Inoue Y, Sato-Otsubo A, Fujii Y, Nannya Y, Suzuki E, Takada M, Tanaka H, Shiraishi Y, Chiba K, Kataoka Y, Torii M, Yoshibayashi H, Yamagami K, Okamura R, Moriguchi Y, Kato H, Tsuyuki S, Yamauchi A, Suwa H, Inamoto T, Miyano S, Ogawa S, Toi M. Genetic and clinical landscape of breast cancers with germline BRCA1/2 variants. **Commun Biol**. 2020;3(1):578.

Inoue A, Ishikawa E, Shirai Y, Murata T, Miki C, Hamada Y. Effects of Protein-Energy Wasting (PEW) and hyperphosphatemia on the prognosis in Japanese maintenance hemodialysis patients: A five-year follow-up observational study. **Clin Nutr ESPEN**. 2020;36:134-138.

Irie H, Okamoto H, Uchino S, Endo H, Uchida M, Kawasaki T, Kumasawa J, Tagami T, Shigemitsu H, Hashiba E, Aoki Y, Kurosawa H, Hatakeyama J, Ichihara N, Hashimoto S, Nishimura M. The Japanese Intensive care Patient Database (JIPAD): A national intensive care unit registry in Japan. **J Crit Care**. 2020, 55:86-94.

Ishida M, Montagni I, Matsuzaki K, Shimamoto T, Cariou T, Kawamura T, Tzourio C, Iwami T: The association between depressive symptoms and self-rated health among university students: a cross-sectional study in France and Japan. **BMC Psychiatry**. 2020,20(1):549.

Ishii M, Seki T, Kaikita K, Sakamoto K, Nakai M, Sumita Y, Nishimura K, Miyamoto Y, Noguchi T, Yasuda S, Saito Y, Tsutsui H, Komuro I, Ogawa H, Tsujita K, Kawakami K; JROAD Investigators. Short-term Exposure to Desert Dust and the Risk of Acute Myocardial Infarction in Japan: A Time-Stratified Case-Crossover Study. **Eur J Epidemiol**. 2020;35(5):455-64.

Ishii M, Seki T, Kaikita K, Sakamoto K, Nakai M, Sumita Y, Nishimura K, Miyamoto Y,

Noguchi T, Yasuda S, Kanaoka K, Terasaki S, Saito Y, Tsutsui H, Komuro I, Ogawa H, Tsujita K, Kawakami K; JROAD Investigators. Association of Short-term Exposure to Air pollution with Myocardial Infarction with and without Obstructive Coronary Artery Disease. **Eur J Prev Cardiol.** 2020 Feb 11:2047487320904641.

Ishii M, Seki T, Sakamoto K, Kaikita K, Miyamoto Y, Tsujita K, Masuda I, Kawakami K. Association of short term exposure to Asian dust with increased blood pressure. **Sci Rep.** 2020;10(1):17630.

Ishii T, Harada T, Tanuma T, Yamazaki H, Tachibana Y, Aoki H, Shinohara T, Katanuma A. Histopathologic features and fragmentation of polyps with cold snare defect protrusions. **Gastrointestinal Endoscopy.** 2020, S0016-5107:34635-6.

Ishikawa T, Obara T, Jin K, Nishigori H, Miyakoda K, Suzuka M, Ikeda-Sakai Y, Akazawa M, Nakasato N, Yaegashi N, Kuriyama S, Mano N. Examination of the prescription of antiepileptic drugs to prenatal and postpartum women in Japan from a health administrative database. **Pharmacoepidemiol Drug Saf.** 2019.Jun;28(6):804-811.

Ishiwatari A, Yamamoto S, Fukuma S, Hasegawa T, Wakai S, Nangaku M: Changes in Quality of Life in Older Hemodialysis Patients: A Cohort Study on Dialysis Outcomes and Practice Patterns. **Am J Nephrol.** 2020, 51(8):650-658.

Isobe M, Kataoka Y, Chikazawa K, Hada T, Nishigori H, Takahashi T, Enomoto T. Correlation between the number of laparoscopy-qualified gynecologists and the proportion of laparoscopic surgeries for benign gynecological diseases in Japan: An ecological study. **J Obstet Gynaecol Res.** 2020;jog.14528.

Isobe M, Kataoka Y, Chikazawa K, Nishigori H, Takahashi T, Enomoto T. The number of overall hysterectomies per population with the perimenopausal status is increasing in Japan: A national representative cohort study. **J Obstet Gynaecol Res.** 2020;jog.14517.

Itatani Y, Kawada K, Hida K, Deguchi Y, Oshima N, Mizuno R, Wada T, Okada T, Sakai Y : Laparoscopic left hemicolectomy with regional lymph node navigation and intracorporeal anastomosis for splenic flexure colon cancer. **Int Cancer Conf J.** 2020 Jun 16;9(4):170-174. doi: 10.1007/s13691-020-00424-4. eCollection 2020 Oct.

Itatani Y, Yamamoto T, Zhong C, Molinolo AA, Ruppel J, Hegde P, Taketo MM, Ferrara N : Suppressing neutrophil-dependent angiogenesis abrogates resistance to anti-VEGF antibody in a genetic model of colorectal cancer. **Proc Natl Acad Sci USA.** 2020 Sep 1;117(35):21598-21608. doi: 10.1073/pnas.2008112117. Epub 2020 Aug 19.

Iwakami N, Aiba T, Kamakura S, Takaki H, Furukawa TA, Sato T, Sun W, Shishido T, Nishimura K, Yamada-Inoue Y, Nagase S, Shimizu W, Yasuda S, Sugimachi M, Kusano K. Identification of Malignant Early Repolarization Pattern by Late QRS Activity in High Resolution Magnetocardiography. **Ann Noninvasive Electrocardiol.** 2020;25:e12741.

Iwakami N, Nagai T, Furukawa TA, Tajika A, Onishi A, Nishimura K, Ogata S, Nakai M, Takegami M, Nakano H, Kawasaki Y, Alba AC, Guyatt GH, Shiraishi Y, Kohsaka S, Kohno T, Goda A, Mizuno A, Yoshikawa T, Anzai T, on behalf of the investigators for the WETNaDEF Collaboration Project, Optimal Sampling in Derivation Studies was Associated with Improved Discrimination in External Validation for Heart Failure Prognostic Models. **J Clin Epidemiol.** 2020;121:71-80.

Jude B, Naorungroj T, Neto AS, Fujii T, Udy A, Bellomo R. Sodium bicarbonate in 5% dextrose: can clinicians tell the difference? **Crit Care Resusc.** 2020;22(1):80-2.

Kakudate N, Yokoyama Y, Sumida F, Matsumoto Y, Yamazaki H, Touge T, Fujikawa Y,

Gordan VV, Gilbert GH. Evidence-practice gap in minimal intervention dentistry: Findings from a dental practice-based research network. **Journal of Dentistry**. 2020 102:103469.

Kanaoka, K., Okayama, S., Terasaki, S., Nakano, T., Ishii, M., Nakai, M., Onoue, K., Nishimura, K., Yasuda, S., Tsujita, K., Kawakami, R., Miyamoto, Y., Tsutsui, H., Komuro, I., Ogawa, H., and Saito, Y. (2020) Role of climatic factors in the incidence of Takotsubo syndrome: A nationwide study from 2012 to 2016. **ESC Heart Fail**. 2020;10.1002/ehf2.12843.

Kanazawa Y, Kikuchi M, Imai Y, Katakami N, Kaihara S, Shinohara S. Successful Treatment of a Mixed Neuroendocrine-Nonneuroendocrine Neoplasm of the Colon with Metastases to the Thyroid Gland and Liver. **Case reports in otolaryngology**. 2020, 5927610.

Kanazawa Y, Kishimoto Y, Tateya I, Ishii T, Sanuki T, Hiroshiba S, Aso T, Omori K, Nakamura K. Hyperactive sensorimotor cortex during voice perception in spasmodic dysphonia. **Scientific reports**. 2020, 10:17298.

Kanazawa Y, Matsuura H, Aiso N, Nakai M. Ossiculoplasty for Malleus Bar with Incudostapedial Disconnection and Fused Incudomalleolar Joint. **Case reports in otolaryngology**. 2020, 8828969.

Kanda M, Koike M, Iwata N, Shimizu D, Tanaka C, Hattori N, Hayashi M, Yamada S, Omae K, Nakayama G, Kodera Y : An Open-Label Single-Arm Phase II Study of Treatment with Neoadjuvant S-1 Plus Cisplatin for Clinical Stage III Squamous Cell Carcinoma of the Esophagus. **Oncologist**. 2020, 25(11):e1650-4.

Kanda M, Koike M, Shimizu D, Tanaka C, Hattori N, Hayashi M, Yamada S, Omae K, Kodera Y : Characteristics Associated with Nodal and Distant Recurrence After Radical Esophagectomy for Squamous Cell Carcinoma of the Thoracic Esophagus. **Ann Surg Oncol**. 2020, 27(9):3195-3205.

Kandori K, Okada Y, Ishii W, Narumiya H, Maebayashi Y, Iizuka R. Association between visitation restriction during COVID-19 pandemic and delirium incidence among emergency admission patients: a single-center retrospective observational cohort study in Japan. **J Intensive Care**. 2020;8:90.

Kaneko Y, Seko Y, Sotozono C, Ueta M, Sato S, Shimamoto T, Iwasaku M, Yamada T, Uchino J, Hizawa N, Takayama K. : Respiratory complications of Stevens-Johnson syndrome (SJS): 3 cases of SJS-induced obstructive bronchiolitis. **Allergol Int**. 2020 ;69:465-7.

Kanno A, Tsujimoto Y, Fujii T, Fujikura E, Watanabe K, Yuasa H, Ryuzaki M, Ito Y, Nakamoto H. Comparison of clinical effects between icodextrin and glucose solutions on outcomes of peritoneal dialysis: systematic review and meta-analysis of randomized controlled trials. **Renal Replacement Therapy**. volume 6, Article number: 7 (2020)

Kataoka Y, Luo Y, Chaimani A, Onishi A, Kimachi M, Tsujimoto Y, Murad MH, Li T, Cipriani A, Furukawa TA. Cumulative network meta-analyses, practice guidelines, and actual prescriptions for postmenopausal osteoporosis: a meta-epidemiological study. **Arch Osteoporos**. 2020;15(1):21.

Kataoka Y, Oide S, Ariie T, Tsujimoto Y, Furukawa TA. COVID-19 randomized controlled trials in medRxiv and PubMed. **Eur J Intern Med**. 2020;

Kataoka Y, Sakurai A, Mori H, Yoshida H, Nakano Y, Fujii K, Matsushita R, Suzuki R, Shiraishi R, Takada T. A Workshop on Writing Letters to the Editor. **MedEdPublish**.

2020;9(1).

Katayama S*, Yoshioka T* (*equally-contributed), Sako T, Murao W, Araki M, Watanabe T, Takenaka T. Association of Severe Microscopic Hematuria with Successful Conservative Treatment of Single Uncomplicated Ureteral Calculus: A Multicenter Cohort Study. **Eur Urol Focus**. 2020, S2405-4569.30102-4.

Katayama Y, Matsuyama T, Kitamura T, Hirose T, Kiguchi T, Sado J, Kiyohara K, Takahashi H, Adachi S, Noda T, Izawa J, Ohnishi M, Shimazu T. Prehospital characteristics, incidence trends, and outcome of emergency self-inflicted injury patients with gas substances: a population-based descriptive study in Osaka, Japan. **Acute Med Surg**. 2019 Aug 22;7(1):e452. doi: 10.1002/ams2.452. eCollection 2020 Jan-Dec.

Katayama Y, Yamada T, Chihara Y, Tanaka S, Tanimura K, Okura N, Hirose K, Uda S, Shiotsu S, Hirai S, Hiranuma O, Harada T, Shimamoto T, Iwasaku M, Kaneko Y, Uchino J, Takeda T, Takayama K. : Significance of inflammatory indexes in atezolizumab monotherapy outcomes in previously treated non-small-cell lung cancer patients. **Sci Rep**. 2020 ;10:17495.

Kato C, Fujii N, Miyakoshi C, Asada S, Ohnishi Y, Fukuma S, Nomura T, Wada M, Fukagawa M, Fukuhara S, Akizawa T: Changes in 3-month mineral and bone disorder patterns were associated with all-cause mortality in prevalent hemodialysis patients with secondary hyperparathyroidism. **BMC Nephrology**. 2020, 12;21(1):432.

Kato D, Kataoka Y, Suwangto EG, Kaneko M, Wakabayashi H, Son D, Kawachi I. Reporting Guidelines for Community-Based Participatory Research Did Not Improve the Reporting Quality of Published Studies : A Systematic Review of Studies on Smoking Cessation. **Int J Environ Res Public Health**. 2020;17(11):3898.

Kato S, Kuwatani M, Hayashi T, Eto K, Ono M, Ehira N, Yamato H, Sano I, Taya Y, Onodera M, Kubo K, Ihara H, Yamazaki H, Sakamoto N. Inutility of endoscopic sphincterotomy to prevent pancreatitis after biliary metal stent placement in the patients without pancreatic duct obstruction. **Scandinavian Journal of Gastroenterology**. 2020, 55:503-8.

Katsura M, Fukuma S, Kuriyama A, Takada T, Ueda Y, Asano S, Kondo Y, Ie M, Matsushima K, Murakami T, Fukuzato Y, Osaki N, Mototake H, Fukuhara S. Association between contrast extravasation on computed tomography scans and pseudoaneurysm formation in pediatric blunt splenic and hepatic injury: A multi-institutional observational study. **J Pediatr Surg**. 2020, 55(4):681-7.

Katsura M, Matsushima K, Kitamura R, Kawasaki K, Takaesu R, Fukuma S, Ie M, Murakami T, Asakura Y, Uehara M, Mototake H: The use of warm fresh whole blood transfusion in the austere setting: A civilian trauma experience. **J Trauma Acute Care Surg**. 2020 89(3):e28-e33.

Katsuyama E, Miyawaki Y, Sada KE, Asano Y, Hayashi K, Yamamura Y, Hiramatsu-Asano S, Morishita M, Ohashi K, Watanabe H, Katsuyama T, Narazaki M, Matsumoto Y, Wada J. Association of explanatory histological findings and urinary protein and serum creatinine levels at renal biopsy in lupus nephritis: a cross-sectional study. **BMC Nephrol**. 2020;21:208.

Kawaguchi T, Nagasawa T, Tsuruya K, Miura K, Katsuno T, Morikawa T, Ishikawa E, Ogura M, Matsumura H, Kurayama R, Matsumoto S, Marui Y, Hara S, Maruyama S, Narita I, Okada H, Ubara Y; Committee of Practical Guide for Kidney Biopsy 2019. A nationwide survey on clinical practice patterns and bleeding complications of percutaneous native kidney biopsy in Japan. **Clin Exp Nephrol**. 2020;24:389-401.

Kawamura H, Morishima T, Sato A, Honda M, Miyashiro I. Effect of adjuvant chemotherapy on survival benefit in stage III colon cancer patients stratified by age: a Japanese real-world cohort study. **BMC Cancer**. 2020, 20:19.

Kawamura K, Ichikado K, Anan K, Yasuda Y, Sekido Y, Suga M, Ichiyasu H, Sakagami T. Monocyte count and the risk for acute exacerbation of fibrosing interstitial lung disease: A retrospective cohort study. **Chron Respir Dis**. 2020,17:1479973120909840.

Kawashima J, Araki E, Naruse M, Kurihara I, Takahashi K, Tamura K, Kobayashi H, Okamura S, Miyauchi S, Yamamoto K, Izawa S, Suzuki T, Tanabe A: Baseline Plasma Aldosterone Level and Renin Activity Allowing Omission of Confirmatory Testing in Primary Aldosteronism. **J Clin Endocrinol Metab**. 2020,105::dgaa117. doi: 10.1210/clinem/dgaa117.

Kawasoe S, Kubozono T, Ojima S, Kawabata T, Miyahara H, Tokushige K, Ohishi M. Sex Differences in the Effects of Weight Reduction on Future Blood Pressure Elevation in a Mildly Obese Middle-Aged Population. **Circulation reports**. 2020; 2(8): 385-92.

Takeuchi K, Sato I, Takeuchi M, Seiki T, Kawasaki Y, Kawakami K: Association between Oral Anticoagulants and the Risk of Cardiogenic Thromboembolism in Patients with Atrial Fibrillation Undergoing Cancer Chemotherapy. **Annals of Clinical Epidemiology**. 2020;2(4):95–106.

Kario K, Nomura A, Harada N, Tanigawa T, So R, Nakagawa K, Suzuki S, Okura A, Hida E, Satake K, A multicenter clinical trial to assess the efficacy of the digital therapeutics for essential hypertension: Rationale and design of the HERB-DH1 trial. **J Clin Hypertens (Greenwich)**. 2020;22:1713-22.

Kandori K, Okada Y, Okada A, Nakajima S, Okada N, Matsuyama T, Kitamura T, Narumiya H, Iizuka R. Association between cardiac rhythm conversion and neurological outcome among cardiac arrest patients with initial shockable rhythm: a nationwide prospective study in Japan. European Heart Journal. **Acute Cardiovascular Care**. 2020 zuaa018, <https://doi.org/10.1093/ehjacc/zuaa018>

Kido A, Tamura H, Ikeda HO, Miyake M, Hiragi S, Tsujikawa A. Nationwide incidence of central retinal artery occlusion in Japan: an exploratory descriptive study using the National Database of Health Insurance Claims (2011-2015). **BMJ Open**. 2020;10(9):e041104.

Kikuchi S, Imai H, Tani Y, Tajiri T, Watanabe N. Proton pump inhibitors for chronic obstructive pulmonary disease. **Cochrane Database Syst Rev**. 2020 Aug 25;8:CD013113.

Kikuchi S, Oe Y, Sasaki Y, Ishii H, Ito Y, Horikoshi M, Sozu T, Seno H, Furukawa TA. Group cognitive behavioural therapy (GCBT) versus treatment as usual (TAU) in the treatment of irritable bowel syndrome (IBS): a study protocol for a randomized controlled trial. **BMC Gastroenterol**. 2020 Feb 4;20(1):29.

Kimura T, Takeuchi M, Kawakami K. Utilization and efficacy of palivizumab for children with Down syndrome. **Pediatr Int**. 2020 Jun;62(6):677-82.

Kinoshita T, Honda M, Matsuki A, Enomoto N, Aizawa M, Nunobe S, Yabusaki H, Abe T, Hiki N : Billroth-I vs Roux-en-Y after distal gastrectomy: A comparison of long-term nutritional status and survival rates from a large-scale multicenter cohort study. **Annals of Gastroenterological Surgery**. 4(2):142-50, 2020.

Kogure M, Hirata T, Nakaya N, Tsuchiya N, Nakamura T, Narita A, Miyagawa K,

Koshimizu H, Obara T, Metoki H, Uruno A, Kikuya M, Sugawara J, Kuriyama S, Tsuji I, Kure S, Hozawa A : The multiple measurements of urinary sodium-to-potassium ratio strongly related home hypertension: TMM Cohort Study. *Hypertens Res.* 2020; 43: 62-71.

Kogure M, Nakaya N, Hirata T, Tsuchiya N, Nakamura T, Narita A, Suto Y, Honma Y, Sasaki H, Miyagawa K, Ushida Y, Ueda H, Hozawa A. Sodium/potassium ratio change was associated with blood pressure change: possibility of population approach toward sodium/potassium ratio reduction in health check-up. *Hypertens Res.* 2020 (Published Online 17 August 2020)

Kogure M, Tsuchiya N, Narita A, Hirata T, Nakaya N, Nakamura T, Hozawa A, Hayakawa T, Okuda N, Miyagawa N, Kadota A, Ohkubo T, Murakami Y, Sakata K, Miura K, Okayama A, Okamura T, Ueshima H. Relationship between calcium intake and impaired activities of daily living in a Japanese population: NIPPON DATA90. *J Epidemiol.* 2020 (Published Online 8 Feb 2020)

Kohara J, Dong L, Takeda C, Shiraki A, Fukagawa H, Mizota T. Derivation and validation of an equation to determine the optimal ventilator setting in children undergoing intracranial revascularization surgery: a single-center retrospective study. *Paediatric Anaesthesia.* 2020;30:50-6.

Kitagawa K, So R (co-first), Nomura N, Mizuno Y, Misawa F, Kodama M, Uchida H, Mimura M, Takeuchi H, Reliability of the Glasgow Antipsychotic Side-effects Scale for Clozapine Japanese version (GASS-C-J). *PLoS One.* 2020;15:e0234864. Published 2020 Jun 18.

Kurita N#, Wakita T, Ishibashi Y, Fujimoto S, Yazawa M, Suzuki T, Koitabashi K, Yanagi M, Kawarazaki H, Green J, Fukuhara S, Shibagaki Y. Association between health-related hope and adherence to prescribed treatment in CKD patients: multicenter cross-sectional study. (#corresponding author) *BMC Nephrology.* 2020; 21: 453.

Kuriyama S, Metoki H, Kikuya M, Obara T, Ishikuro M, Yamanaka C, Nagai M, Matsubara H, Kobayashi T, Sugawara J, Tamiya G, Hozawa A, Nakaya N, Tsuchiya N, Nakamura T, Narita A, Kogure M, Hirata T, Tsuji I, Nagami F, Fuse N, Arai T, Kawaguchi Y, Higuchi S, Sakaida M, Suzuki Y, Osumi N, Nakayama K, Ito K, Egawa S, Chida K, Kodama E, Kiyomoto H, Ishii T, Tsuboi A, Tomita H, Taki Y, Kawame H, Suzuki K, Ishii N, Ogishima S, Mizuno S, Takai-Igarashi T, Minegishi N, Yasuda J, Igarashi K, Shimizu R, Nagasaki M, Tanabe O, Koshihara S, Hashizume H, Motohashi H, Tominaga T, Ito S, Tanno K, Sakata K, Shimizu A, Hitomi J, Sasaki M, Kinoshita K, Tanaka H, Kobayashi T, Kure S, Yaegashi N, Yamamoto M, Tohoku Medical Megabank Project Study Group : Cohort profile: Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study (TMM BirThree Cohort Study): Rationale, progress and perspective. *Int J Epidemiol.* 2020; 49: 18-19m.

Kurogi K, Ishii M, Sakamoto K, Komaki S, Kusaka H, Yamamoto N, Takashio S, Arima Y, Yamamoto E, Kaikita K, Tsujita K. Optical Coherence Tomography-Guided Percutaneous Coronary Intervention With Low-Molecular-Weight Dextran-Effect on Renal Function. *Circ J.* 2020;84(6):917-25.

Kurogi R, Kada A, Ogasawara K, Kitazono T, Sakai N, Hashimoto Y, Shiokawa Y, Miyachi S, Matsumaru Y, Iwama T, Tominaga T, Onozuka D, Nishimura A, Arimura K, Kurogi A, Ren N, Hagihara A, Nakaoku Y, Arai H, Miyamoto S, Nishimura K, Iihara K: Effects of case volume and comprehensive stroke center capabilities on patient outcomes of clipping and coiling for subarachnoid hemorrhage. *J Neurosurg.* 2020, 1-11.

Levine SZ, Yoshida K, Goldberg Y, Cipriani A, Efthimiou O, Iwatsubo T, Leucht S & Furukawa TA: Linking the Mini-Mental State Examination, the Alzheimer's Disease Assessment Scale-Cognitive Subscale, and the Severe Impairment Battery: Evidence from

individual participant data from five randomized clinical trials of donepezil. **Evidence Based Mental Health**. 2020; 0:1-6.

Luo Y, Chaimani A, Furukawa TA, Kataoka Y, Ogawa Y, Cipriani A, Salanti G. Visualizing the evolution of evidence: Cumulative network meta-analyses of new generation antidepressants in the last 40 years. **Research Synthesis Methods**. 2020, 1–12.

Luo Y, Chalkou K, Yamada R, Funada S, Salanti G, Furukawa TA. Predicting the treatment response of certolizumab for individual adult patients with rheumatoid arthritis: protocol for an individual participant data meta-analysis. **Syst Rev**. 2020;9(1):140.

Mardinian K, Okamura R, Kato S, Kurzrock R. Temporal and spatial effects and survival outcomes associated with concordance between tissue and blood KRAS alterations in the pan-cancer setting. **Int J Cancer**. 2020;146(2):566-576.

Marui S, Uza N, Yamazaki H, Ota S, Nakamura T, Yoshida H, Okada H, Hirano T, Kuwada T, Sogabe Y, Tomono T, Matsumori T, Morita T, Nishikawa Y, Tsuda M, Maruno T, Shiokawa M, Kodama Y, Seno H. Utility of laser-cut covered self-expandable metal stents for unresectable malignant distal biliary obstruction: a single-center experience. **Endoscopy**. 2020;52(8):664-8.

Marume K, Nagatomo K, Yamamoto N, Kaichi R, Mori T, Komaki S, Ishii M, Kusaka H, Toida R, Kurogi K, Nagamine Y, Takashio S, Arima Y, Sakamoto K, Yamamoto E, Kaikita K, Tsujita K. Prognostic impact of the presence of on-duty cardiologist on patients with acute myocardial infarction admitted during off-hours. **J Cardiol**. 2020;76(2):184-190.

Matsui H, Arai Y, Imoto H, Mitsuyoshi T, Tamura N, Kondo T, Kanda J, Ishikawa T, Imada K, Ueda Y, Toda Y, Anzai N, Yago K, Nohgawa M, Yonezawa A, Tsunemine H, Itoh M, Yamamoto K, Tsuji M, Moriguchi T, Takaori-Kondo A, Kyoto Stem Cell Transplantation G. Risk factors and appropriate therapeutic strategies for thrombotic microangiopathy after allogeneic HSCT. **Blood Adv**. 2020;4(13):3169-79.

Matsui S, Sobue T, Irisawa T, Yamada T, Hayakawa K, Yoshiya K, Noguchi K, Nishimura T, Ishibe T, Yagi Y, Kiguchi T, Kishimoto M, Shintani H, Hayashi Y, Sogabe T, Morooka T, Sakamoto H, Suzuki K, Nakamura F, Nishioka N, Okada Y, Matsuyama T, Sado J, Shimazu T, Tanaka R, Kurosawa H, Iwami T, Kitamura T. Poor Long-Term Survival of Out-of-Hospital Cardiac Arrest in Children. International heart journal. **Int Heart J**. 2020;61(2):254-62.

Matsui T, Naito M, Tagami K, Tajima I, Teshigawara M, Makino A, Kitamura K, Takasato Y, Sugiura S, Yamada C, Izumi H, Tsuge I, Kondo Y, Ito K. Changes in passively-sensitized basophil activation to α S1-casein after oral immunotherapy. **Immun Inflamm Dis**. 2020;8(2):188-97.

Matsuo H, Ishikawa E, Machida H, Mizutani Y, Tanoue A, Ohnishi T, Murata T, Okamoto S, Ogura T, Nishimura Y, Ito H, Yasutomi M, Katayama K, Nomura S, Ito M. Efficacy of xanthine oxidase inhibitor for chronic kidney disease patients with hyperuricemia. **Clin Exp Nephrol**. 2020;24(4):307-13.

Matsuoka Y, Goto R, Atsumi T, Morimura N, Nagao K, Tahara Y, Asai Y, Yokota H, Ariyoshi K, Yamamoto Y, Sakamoto T and SAVE-J Study Group. Cost-effectiveness of extracorporeal cardiopulmonary resuscitation for out-of-hospital cardiac arrest: A multi-centre prospective cohort study. **Resuscitation**. 2020;157:32-8.

Miike T, Kawakami H, Kameda T, Yamamoto S, Tahara Y, Hidaka T, Kubuki Y, Yorita K, Akiyama Y, Arimura Y, Kubota Y, Kataoka H, Shimoda K. Clinical characteristics of adult T-cell leukemia/lymphoma infiltration in the gastrointestinal tract. **BMC Gastroenterol**.

2020;20(1):298.

Miura K, Komiya T, Shimamoto T, Matsuo T. How far is the left circumflex coronary artery from the mitral annulus? **Gen Thorac Cardiovasc Surg**. 2020;68(12):1447-52.

Miyashita J, Kohno A, Cheng SY, Hsu SH, Yamamoto Y, Shimizu S, Huang WS, Kashiwazaki M, Kamihiro N, Okawa K, Fujisaki M, Tsai JS, Fukuhara S. Patients' preferences and factors influencing initial advance care planning discussions' timing: A cross-cultural mixed-methods study. **Palliat Med**. 2020;34(7):906-16.

Mizuno K, Takeuchi M, Kikuchi M, Omori K, Kawakami K. Outcomes in patients diagnosed with tongue cancer before and after the age of 45 years. **Oral Oncol**. 2020;110:105010.

Morimoto K, Terawaki H, Washida N, Kasai T, Tsujimoto Y, Yuasa H, Ryuzaki M, Ito Y, Tomo M, Nakamoto H. The impact of intraperitoneal antibiotic administration in patients with peritoneal dialysis-related peritonitis: systematic review and meta-analysis. **Renal Replacement Therapy**. 2020; 6:19.

Morimoto K, Yamada T, Nakamura R, Katayama Y, Tanaka S, Takumi C, Hiraoka N, Ogura Y, Takeda T, Onoi K, Chihara Y, Taniguchi R, Yamada T, Matsui Y, Hiranuma O, Morimoto Y, Iwasaku M, Kaneko Y, Uchino J, Takayama K. Impact of preexisting antinuclear antibodies on combined immunotherapy and chemotherapy in advanced non-small cell lung cancer patients. **Med Oncol**. 2020;37(12):111.

Morita-Fujita M, Arai Y, Yoshioka S, Ishikawa T, Kanda J, Kondo T, Akasaka T, Ueda Y, Imada K, Moriguchi T, Yago K, Kitano T, Yonezawa A, Nohgawa M, Takaori-Kondo A, Kyoto Stem Cell Transplantation G: Indication and benefit of upfront hematopoietic stem cell transplantation for T-cell lymphoblastic lymphoma in the era of ALL-type induction therapies. **Sci Rep**. 2020;10(1):21418.

Murakami K, Obama K, Tsunoda S, Hisamori S, Nishigori T, Hida K, Kanaya S, Satoh S, Manaka D, Yamamoto M, Kadokawa Y, Itami A, Okabe H, Hata H, Tanaka E, Yamashita Y, Kondo M, Hosogi H, Hoshino N, Tanaka S, Sakai Y. Linear or circular stapler? A propensity score-matched, multicenter analysis of intracorporeal esophagojejunostomy following totally laparoscopic total gastrectomy. **Surg Endosc**. 2020;34(12):5265-73.

Nakamaru R, Yamamoto K, Rakugi H, Akasaka H, Kurihara I, Ichijo T, Takeda Y, Katabami T, Tsuiki M, Wada N, Ogawa Y, Kawashima J, Sone M, Yoshimoto T, Okamoto R, Fujita F, Kobayashi H, Tamura K, Kamemura K, Okamura S, Kakutani M, Tanabe A, Naruse M; JPAS/JRAS Study Group. Obesity predicts persistence of resistant hypertension after surgery in patients with primary aldosteronism. **Clin Endocrinol (Oxf)**. 2020;93(3):229-37.

Nakamura S, Kanda M, Koike M, Shimizu D, Umeda S, Hattori N, Hayashi M, Tanaka C, Kobayashi D, Yamada S, Omae K, Kodera Y. KCNJ15 Expression and Malignant Behavior of Esophageal Squamous Cell Carcinoma. **Ann Surg Oncol**. 2020;27(7):2559-68.

Nakamura S, Kanda M, Shimizu D, Tanaka C, Inokawa Y, Hattori N, Hayashi M, Yamada S, Nakayama G, Omae K, Koike M, Kodera Y. AMIGO2 Expression as a Potential Prognostic Biomarker for Gastric Cancer. **Anticancer Res**. 2020;40(12):6713-21.

Nakanishi N, Kaikita K, Ishii M, Oimatsu Y, Mitsuse T, Ito M, Yamanaga K, Fujisue K, Kanazawa H, Sueta D, Takashio S, Arima Y, Araki S, Nakamura T, Sakamoto K, Suzuki S, Yamamoto E, Soejima H, Tsujita K. Cardioprotective Effects of Rivaroxaban on Cardiac Remodeling After Experimental Myocardial Infarction in Mice. **Circ Rep**. 2020;2:158-66.

Nakano H, Nagai T, Honda Y, Honda S, Iwakami N, Matsumoto C, Asaumi Y, Aiba T,

Noguchi T, Kusano K, Yokoyama H, Ogawa H, Yasuda S, Chikamori T, Anzai T. Prognostic value of base excess as indicator of acid-base balance in acute heart failure. **Eur Heart J Acute Cardiovasc Care.** 2020;9(5):399-405.

Nakashima M, Takeuchi M, Kawakami K. Effectiveness and Safety of Regorafenib vs. Trifluridine/Tipiracil in Unresectable Colorectal Cancer: A Retrospective Cohort Study. **Clin Colorectal Cancer.** 2020;19(4):e208-e225.

Nakayama Y, Kobayashi H, Kawamura H, Matsunaga R, Todate Y, Takano Y, Takahashi K, Yamauchi S, Sugihara K, Honda M. The long-term outcomes in adolescent and young adult patients with colorectal cancer -A multicenter large-scale cohort study. **J Cancer.** 2020;11(11):3180-5.

Namekawa M, Tsujimoto Y, Banno M, Kataoka Y, Tsujimoto H, Inaba Y, Fujiwara T. Videolaryngoscopy for transesophageal echocardiography probe insertion: a systematic review and meta - analysis of randomized controlled trials. **J Anesth.** 2020;34(3):453-63.

Naorungroj T, Serpa Neto A, Fujii T, Jude B, Udy A, Bellomo R. Stability of bicarbonate in normal saline: a technical report. **Crit Care Resusc.** 2020;22(1):83-5.

Naotsugu Iwakami, Toshiyuki Nagai, Toshiaki A. Furukawa, Kunihiro Nishimura, Toshihisa Anzai. Evidence-Based Utilization of Prognostic Prediction Models in Cardiovascular Medicine. **Circ Rep.** 2020;2:10-15.

Nikanjam M, Okamura R, Barkauskas DA, Kurzrock R. Targeting fusions for improved outcomes in oncology treatment. **Cancer.** 2020;126(6):1315-21.

Nishikawa M, Honda M, Kimura R, Kobayashi A, Yamaguchi Y, Hori S, Kobayashi H, Waragai M, Kawamura H, Nakayama Y, Todate Y, Takano Y, Yamaguchi H, Hamada K, Iketani S, Seto I, Izumi Y, Seto K. Bacteria in the oral cavity might be causative bacteria of intra-abdominal abscess after gastrectomy. **PLoS One.** 2020;15(11):e0242091.

Nishikawa Y, Hoshino N, Horimatsu T, Funakoshi T, Hida K, Sakai Y, Muto M, Nakayama T. Chemotherapy for patients with unresectable or metastatic small bowel adenocarcinoma: a systematic review. **Int J Clin Oncol.** 2020;25(8):1441-9.

Nishimura M, Kohno A, van der Steen JT, Naganuma T, Nakayama T. Conceptualization of a good end-of-life experience with dementia in Japan: a qualitative study. **Int Psychogeriatr.** 2020;32(2):255-65.

Nishioka N, Luo Y, Taniguchi T, Ohnishi T, Kimachi M, Ng RCK, Watanabe N. Carnitine supplements for people with chronic kidney disease requiring dialysis (Protocol). **Cochrane Database Syst Rev.** 2020.

Nishizaki D, Hoshino N, Hida K, Nishikawa Y, Horimatsu T, Minamiguchi S, Sakanaka K, Sakai Y. Nonsurgical Management Following Local Resection for Early Rectal Cancer in Patients with High-risk Factors: A Single-institute Experience. **J Anus Rectum Colon.** 2020;4(4):174-80.

Nitta K, Abe M, Masakane I, Hanafusa N, Taniguchi M, Hasegawa T, Nakai S, Wada A, Hamano T, Hoshino J, Joki N, Goto S, Wakasugi M, Yamamoto K, Nakamoto H. Annual dialysis data report 2018, JSDT Renal Data Registry: dialysis fluid quality, hemodialysis and hemodiafiltration, peritoneal dialysis, and diabetes. **Renal Replacement Therapy.** 2020;6:51.

Nitta K, Goto S, Masakane I, Hanafusa N, Taniguchi M, Hasegawa T, Nakai S, Wada A, Hamano T, Hoshino J, Joki N, Abe M, Yamamoto K, Nakamoto H. Annual Dialysis Data

Report for 2018, JSDT Renal Data Registry: survey methods, facility data, incidence, prevalence, and mortality. **Renal Replacement Therapy**. 2020;6:41.

Nonaka M, Komiya T, Shimamoto T, Matsuo T. Comparison of clinical outcomes after coronary artery bypass grafting using stratified SYNTAX scores. **Gen Thorac Cardiovasc Surg**. 2020;68(11):1270-7.

Obata Y, Murashima M, Toda N, Yamamoto S, Tsujimoto Y, Tsujimoto Y, Tsujimoto H, Yuasa H, Ryuzaki M, Ito Y, Tomo T, Nakamoto H. Topical application of mupirocin to exit sites in patients on peritoneal dialysis: a systematic review and meta-analysis of randomized controlled trials. **Renal Replacement Therapy**. 2020;6:12

Ogawa K, Honda M, Akashi Y, Inagawa S, Kaneda A, Hori S, Owada Y, Ohara Y, Hisakura K, Enomoto T, Shimomura O, Takahashi K, Oda T. Comparison of 2- and 4-week S-1 administration as adjuvant chemotherapy for advanced gastric cancer. **Int J Clin Oncol**. 2020;25(10):1807-13.

Ogawa T, Hayashi H, Kishimoto T, Mashimo S, Kusumoto Y, Nakamura K, Aoki T, Moross J, Kristensen MT, Ishibashi H. Translation, inter-rater reliability, agreement, and internal consistency of the Japanese version of the cumulated ambulation score in patients after hip fracture surgery. **Prog Rehabil Med**. 2020;5:20200030.

Ogawa Y, Nagata T, Akiyama T, Nishida K, Kumasawa J, Kohno M, Kohata H, Gohma I. Argatroban therapy for heparin-induced thrombocytopenia in a patient with coronavirus disease 2019. **J Thromb Thrombolysis**. 2020;50(4):1012-4.

Ohno Y, Sone M, Inagaki N, Kawashima A, Takeda Y, Yoneda T, Kurihara I, Itoh H, Tsuiki M, Ichijo T, Katabami T, Wada N, Sakamoto R, Ogawa Y, Yoshimoto T, Yamada T, Kawashima J, Matsuda Y, Kobayashi H, Kamemura K, Yamamoto K, Otsuki M, Okamura S, Izawa S, Okamoto R, Tamura K, Tanabe A, Naruse M; JPAS/JRAS Study Group. Nadir Aldosterone Levels After Confirmatory Tests Are Correlated With Left Ventricular Hypertrophy in Primary Aldosteronism. **Hypertension**. 2020;75(6):1475-82.

Okabayashi S, Kobayashi T, Hibi T. Inflammatory bowel disease in Japan – Is it similar to or different from Westerns? **J Anus Rectum Colon**. 2020;4(1):1-13.

Okabayashi S, Yamazaki H, Yamamoto R, Anan K, Matsuoka K, Kobayashi T, Shinzaki S, Honzawa Y, Kataoka Y, Tsujimoto Y, Watanabe N. Certolizumab pegol for maintenance of remission in Crohn's disease (Protocol). **Cochrane Database Syst Rev**. 2020, Issue 10. Art. No.: CD013747.

Okada A, Okada Y, Fujita H, Iiduka R. Development of the "POP" scoring system for predicting obstetric and gynecological diseases in the emergency department: a retrospective cohort study. **BMC Emerg Med**. 2020;20(1):35.

Okada A, Okada Y, Narumiya H, Ishii W, Kitamura T, Osamura T, Iiduka R. Association of body temperature with in-hospital mortality among paediatric trauma patients: an analysis of a nationwide observational trauma database in Japan. **BMJ Open**. 2020;10(11):e033822.

Okada Y, Kiguchi T, Irisawa T, Yamada T, Yoshiya K, Park C, Nishimura T, Ishibe T, Yagi Y, Kishimoto M, Inoue T, Hayashi Y, Sogabe T, Morooka T, Sakamoto H, Suzuki K, Nakamura F, Matsuyama T, Nishioka N, Kobayashi D, Matsui S, Hirayama A, Yoshimura S, Kimata S, Shimazu T, Ohtsuru S, Kitamura T, Iwami T. Development and Validation of a Clinical Score to Predict Neurological Outcomes in Patients With Out-of-Hospital Cardiac Arrest Treated With Extracorporeal Cardiopulmonary Resuscitation. **JAMA Netw Open**. 2020;3(11):e2022920.

Okada Y, Kiguchi T, Irisawa T, Yoshiya K, Yamada T, Hayakawa K, Noguchi K, Nishimura T, Ishibe T, Yagi Y, Kishimoto M, Shintani H, Hayashi Y, Sogabe T, Morooka T, Sakamoto H, Suzuki K, Nakamura F, Nishioka N, Matsuyama T, Matsui S, Shimazu T, Koike K, Kawamura T, Kitamura T, Iwami T. Predictive accuracy of biomarkers for survival among cardiac arrest patients with hypothermia: a prospective observational cohort study in Japan. **Scand J Trauma Resusc Emerg Med.** 2020;28(1):75.

Okada Y, Kiguchi T, Irisawa T, Yoshiya K, Yamada T, Hayakawa K, Noguchi K, Nishimura T, Ishibe T, Yagi Y, Kishimoto M, Shintani H, Hayashi Y, Sogabe T, Morooka T, Sakamoto H, Suzuki K, Nakamura F, Nishioka N, Matsuyama T, Sado J, Matsui S, Shimazu T, Koike K, Kawamura T, Kitamura T, Iwami T; CRITICAL Study Group Investigators. Association between low pH and unfavorable neurological outcome among out-of-hospital cardiac arrest patients treated by extracorporeal CPR: a prospective observational cohort study in Japan. **J Intensive Care.** 2020;8:34.

Okada Y, Nishioka N, Ohtsuru S, Tsujimoto Y. Diagnostic accuracy of physical examination for detecting pelvic fractures among blunt trauma patients: a systematic review and meta-analysis. **World J Emerg Surg.** 2020;15(1):56.

Okada Y, Hashimoto K, Ishii W, Iiduka R, Koike K. Development and validation of a model to predict the need for emergency front-of-neck airway procedures in trauma patients. **Anaesthesia** 2020;75(5):591-98. doi: 10.1111/anae.14895.

Okamura R, Kato S, Lee S, Jimenez RE, Sicklick JK, Kurzrock R. ARID1A alterations function as a biomarker for longer progression-free survival after anti-PD-1/PD-L1 immunotherapy. **J Immunother Cancer.** 2020;8(1):e000438.

Okano T, Yamamoto Y, Kuzuya A, Egawa N, Kawakami K, Furuta I, Mizuno K, Fujino K, Kojima K, Omori K. Development of the Reading Cognitive Test Kyoto (ReaCT Kyoto) for Early Detection of Cognitive Decline in Patients with Hearing Loss. **J Alzheimers Dis.** 2020;73(3):981-90.

Okura N, Asano M, Uchino J, Morimoto Y, Iwasaku M, Kaneko Y, Yamada T, Fukui M, Takayama K. Endocrinopathies Associated with Immune Checkpoint Inhibitor Cancer Treatment: A Review. **J Clin Med.** 2020;9(7):2033.

Okura N, Nishioka N, Yamada T, Taniguchi H, Tanimura K, Katayama Y, Yoshimura A, Watanabe S, Kikuchi T, Shiotsu S, Kitazaki T, Nishiyama A, Iwasaku M, Kaneko Y, Uchino J, Uehara H, Horinaka M, Sakai T, Tanaka K, Kozaki R, Yano S, Takayama K. ONO-7475, a Novel AXL Inhibitor, Suppresses the Adaptive Resistance to Initial EGFR-TKI Treatment in EGFR-Mutated Non-Small Cell Lung Cancer. **Clin Cancer Res.** 2020;26(9):2244-56.

Onishi A, Kamitsuji S, Nishida M, Uemura Y, Takahashi M, Saito T, Yoshida Y, Kobayashi M, Kawate M, Nishimura K, Masaki K, Nobuhara Y, Nakazawa T, Hatachi S, Tsuji G, Morinobu A, Kumagai S. Genetic and clinical prediction models for the efficacy and hepatotoxicity of methotrexate in patients with rheumatoid arthritis: a multicenter cohort study. **Pharmacogenomics J.** 2020;20(3):433-42.

Onoi K, Chihara Y, Uchino J, Shimamoto T, Morimoto Y, Iwasaku M, Kaneko Y, Yamada T, Takayama K. Immune Checkpoint Inhibitors for Lung Cancer Treatment: A Review. **J Clin Med.** 2020;9(5):1362.

Osawa T, Wei J.T, Abe T, Honda M, Yamada S, Furumido J, Kikuchi H, Matsumoto R, Hirakawa K, Sato Y, Sasaki Y, Harabayashi T, Takada N, Minami K, Tanaka H, Morita K, Kashiwagi A, Miyajima N, Akino T, Murai S, Ito Y.M, Fukuhara S, Ogasawara K, Shinohara N. Health-related quality of life in Japanese patients with bladder cancer measured by a

newly developed Japanese version of the Bladder Cancer Index. *Int J Clin Oncol.* 2020;25(12):2090-8.

Ri M, Nunobe S, Honda M, Akimoto E, Kinoshita T, Hori S, Aizawa M, Yabusaki H, Isobe Y, Kawakubo H, Abe T. Gastrectomy with or without omentectomy for cT3 –4 gastric cancer: a multicentre cohort study. *Br J Surg.* 2020;107(12):1640-7.

Greif R, Bhanji F, Bigham BL, Bray J, Breckwoldt J, Cheng A, Duff JP, Gilfoyle E, Hsieh MJ, Iwami T, Lauridsen KG, Lockey AS, Ma MH, Monsieurs KG, Okamoto D, Pellegrino JL, Yeung J, Finn JC, Baldi E, Beck S, Beckers SK, Blewer AL, Boulton A, Cheng-Heng L, Yang CW, Coppola A, Dainty KN, Damjanovic D, Djäv T, Donoghue A, Georgiou M, Gunson I, Krob JL, Kuzovlev A, Ko YC, Leary M, Lin Y, Mancini ME, Matsuyama T, Navarro K, Nehme Z, Orkin AM, Pellis T, Pflanzl-Knizacek L, Pisapia L, Saviani M, Sawyer T, Scapigliati A, Schnaubelt S, Scholefield B, Semeraro F, Shammet S, Smyth MA, Ward A, Zace D. Education, Implementation, and Teams: 2020 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Resuscitation.* 2020;156:A188-A239.

Greif R, Bhanji F, Bigham BL, Bray J, Breckwoldt J, Cheng A, Duff JP, Gilfoyle E, Hsieh MJ, Iwami T, Lauridsen KG, Lockey AS, Ma MH, Monsieurs KG, Okamoto D, Pellegrino JL, Yeung J, Finn JC; Education, Implementation, and Teams Collaborators. Education, Implementation, and Teams: 2020 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. *Circulation.* 2020;142(16_suppl_1):S222-S283.

Robinson BM, Morgenstern H, Karaboyas A, Li Y, Bieber BA, Hakim R, Hasegawa T, Jadoul M, Schaeffner E, Vanholder R, Pisoni RL, Port FK. Estimating the Fraction of First-year Hemodialysis Deaths Attributable to Potentially Modifiable Risk Factors: Results from the DOPPS. *Clin Epidemiol.* 2020;12:51-60.

Ryuhei So, Toshi A Furukawa, Sachio Matsushita, Toshiaki Baba, Takanobu Matsuzaki, Satoshi Furuno, Hitomi Okada, Susumu Higuchi. Unguided Chatbot-Delivered Cognitive Behavioural Intervention for Problem Gamblers Through Messaging App: A Randomised Controlled Trial. *J Gambli Stud.* 2020;36(4):1391-407.

Saito H, Shiraishi A, Nomori H, Matsui H, Yoshida K, Matsue Y, Fujii T, Kawama K. Impact of age on the recovery of six-minute walking distance after lung cancer surgery: a retrospective cohort study. *Gen Thorac Cardiovasc Surg.* 2020;68(2):150-57. doi: 10.1007/s11748-019-01191-7.

Saito K, Uchino S, Fujii T, Saito S, Takinami M, Uezono S. Effect of low-dose atrial natriuretic peptide in critically ill patients with acute kidney injury: a retrospective, single-center study with propensity-score matching. *BMC Nephrol.* 2020;21(1):31. doi: 10.1186/s12882-020-1701-7.

Shida H, Okabayashi S, Yoshioka M, Takase N, Nishiura M, Okazawa Y, Kiyohara K, Konda M, Nishioka N, Kawamura T, Iwami T. Effectiveness of a digital device providing real-time visualized tooth brushing instructions: A randomized controlled trial. *PLoS One* 2020;25;15:e0235194.

Shinkawa K, Yoshida S, Seki T, Yanagita M, Kawakami K: Risk factors of venous thromboembolism in patients with nephrotic syndrome: a retrospective cohort study. *Nephrol Dial Transplant.* 2020 Jul 13;gfaa134 doi: 10.1093/ndt/gfaa134.

Shiroshita A, Jin Z, Tanaka Y, Kataoka Y. Diagnostic accuracy and safety of inhalation challenge tests for bird fancier's lung—Systematic review and meta-analysis. *Clin Exp Allergy.* 2020;cea.13685.

Sahker E, Sakata M, Toyomoto R, Hwang C, Yoshida K, Luo Y, Watanabe N & Furukawa TA. Efficacy of brief intervention for drug misuse in primary care facilities: A systematic review and meta-analysis protocol. **BMJ Open**. 2020;10(9):e036633.

Sasaki S, Takada T, Fukuma S, Imamoto M, Hasegawa T, Nishiwaki H, Iida H, Fukuhara S. Screening tool for identifying adults with excessive salt intake among community dwelling adults: a population-based cohort study. **Am J Clin Nutr**. 2020;111(4):814-20.

Sasaki S, Takada T, Fukuma S, Imamoto M, Hasegawa T, Nishiwaki H, Iida H, Fukuhara S. Screening tool for identifying adults with excessive salt intake among community-dwelling adults: a population-based cohort study. **The American Journal of Clinical Nutrition** 2020;111(4):814-20.

Sato Y, Boor P, Fukuma S, Klinkhammer BM, Haga H, Ogawa O, Floege J, Yanagita M. Developmental stages of tertiary lymphoid tissue reflect local injury and inflammation in murine and human kidneys. **Kidney International**. 2020;98(2):448-63.

Klinkhammer BM, Haga H, Ogawa O, Floege J, Yanagita M. Developmental stages of tertiary lymphoid tissue reflect local injury and inflammation in murine and human kidneys. **Kidney International**. 2020;98(2):448-63.

Takeuchi S, So Ryu(corresponding), Effect of a hospital-based multidisciplinary outreach service on readmission prevention for first-episode schizophrenia: A propensity score-matched cohort study. **Asian J Psychiatr**. 2020;52:102133.

Serpa Neto A, Fujii T, El-Khawas K, Udy A, Bellomo R. Sodium bicarbonate therapy for metabolic acidosis in critically ill patients: a survey of Australian and New Zealand intensive care clinicians. **Crit Care Resusc**. 2020;22(3):275-80.

Shiroshita A, Shiba H, Tanaka Y, Nishi A, Sato K, Shirakawa C, Kataoka Y. Effectiveness of Steroid Therapy on Pneumonic Chronic Obstructive Pulmonary Disease Exacerbation: A Multicenter, Retrospective Cohort Study. **Int J Chron Obstruct Pulmon Dis**. 2020;15:2539–47.

Sinnadurai S, Okabayashi S, Kawamura T, Mori M, Bhoo-Pathy N, Aishah Taib N, Ukawa S, Tamakoshi A, The Jacc Study Group. Intake of Common Alcoholic and Non-Alcoholic Beverages and Breast Cancer Risk among Japanese Women: Findings from the Japan Collaborative Cohort Study. **Asian Pac J Cancer Prev**. 2020;21:1701-7.

Sueda S, Shinohara T, Takahashi N, Shite J, Shoji T, Akao M, Kijima Y, Masuyama T, Miyaji T, Yamamoto K, Iwasaki Y, Yoshida R, Nakamura S, Ogino Y, Kimura K, Sasai M, Suzuki H, Wakatsuki T, Asajima H, Teragawa H, Ishikawa T, Kitamura K, Oda T, Nakayama T, Kobayashi Y, Sunada D, Yamaki M, Nishizaki F, Tomita Y, Usuda K, Fujinaga H, Kuramitsu S, Andou K, Kiyooka T, Kadota K, Ishii Y, Ohtani H, Maekawa Y, Taguchi E, Nakao K, Kobayashi N, Seino Y, Nakagawa H, Saito Y, Komuro I, Sasaki Y, Ikeda S, Yamaguchi O, Kakutani A, Imanaka T, Ishihara M, Ishii M, Kaikita K, Tsujita K. Questionnaire in patients with aborted sudden cardiac death due to coronary spasm in Japan. **Heart Vessels**. 2020;35(12):1640-49. doi: 10.1007/s00380-020-01644-7.

Sugane H, Kataoka Y, Otsuka F, Nakaoku Y, Nishimura K, Nakano H, Murai K, Honda S, Hosoda H, Matama H, Doi T, Nakashima T, Fujino M, Nakao K, Yoneda S, Tahara Y, Asaumi Y, Noguchi T, Kawai K, Yasuda S. Cardiac outcomes in patients with acute coronary syndrome attributable to calcified nodule. **Atherosclerosis** 2020;S0021-9150(20)31499-4.

Sugiura S, Kitamura K, Makino A, Matsui T, Furuta T, Takasato Y, Kando N, Ito K. Slow

Low-Dose Oral Immunotherapy: Threshold and Immunological Change. *Allergol Int.* 2020;69:601-9.

Suto M, Matsumoto K, Onishi A, Shibata N, Yokota S, Hisamatsu E, Takada H, Dokuni K, Hatazawa K, Tanaka H, Hirata K. Non-invasive leg-positive pressure stress echocardiography reveals the preload reserve in adult patients after complete repair of tetralogy of Fallot. *J Am Soc Echocardiogr.* 2020;33(7):858-67.

Suzuki S, Kaikita K, Yamamoto E, Sueta D, Yamamoto M, Ishii M, Ito M, Fujisue K, Kanazawa H, Araki S, Arima Y, Takashio S, Usuku H, Nakamura T, Sakamoto K, Izumiya Y, Soejima H, Kawano H, Jinnouchi H, Matsui K, Tsujita K. H2 FPEF score for predicting future heart failure in stable outpatients with cardiovascular risk factors. *ESC Heart Fail.* 2020;7(1):65-74.

Tabata N, Al-Kassou B, Sugiura A, Kandt J, Shamekhi J, Stundl A, Zimmer S, Treede H, Ishii M, Tsujita K, Nickenig G, Werner N, Sinning JM. Prognostic impact of cancer history in patients undergoing transcatheter aortic valve implantation. *Clin Res Cardiol.* 2020;109(10):1243-50.

Tabata N, Weber M, Sugiura A, Ishii M, Öztürk C, Tsujita K, Sinning JM, Werner N, Nickenig G. Impact of combined baseline and postprocedural troponin values on clinical outcome following the MitraClip procedure. *Catheter Cardiovasc Interv.* 2020;96(7):E735-E743. doi: 10.1002/ccd.28869.

Tagami K, Nakayama S, Furuta T, Matsui T, Takasato Y, Sugiura S, Ito K. Pen a 1-specific IgE does not improve the accuracy of a shrimp allergy diagnosis among Japanese children due to cross-reactivity with Der p 10. *Allergol Int.* 2020;69:290-92.

Tago M, Katsuki NE, Oda Y, Nakatani E, Sugioka T, Yamashita SI. New predictive models for falls among inpatients using public ADL scale in Japan: A retrospective observational study of 7,858 patients in acute care setting. *PLoS ONE.* 2020;15: e0236130.

Takada D, Kunisawa S, Matsubara T, Fushimi K, Yanagita M, Imanaka Y. Developing and validating a multivariable prediction model for in-hospital mortality of pneumonia with advanced chronic kidney disease patients: a retrospective analysis using a nationwide database in Japan. *Clin Exp Nephrol.* 2020;24(8):715-24.

Takada S, Kondo T, Yasunaga M, Watanabe S, Kinoshita H, Fukuhara S, Yamamoto Y. Early rehabilitation in older patients hospitalized with acute decompensated heart failure: A retrospective cohort study. *Am Heart J.* 2020 Dec;230:44-53. doi: 10.1016/j.ahj.2020.09.009.

Takada T, Heus P, van Doorn S, Naaktgeboren CA, Weenink JW, van Dulmen SA, Hooft L. Strategies to reduce the use of low-value medical tests in primary care: a systematic review. *Br J Gen Pract.* 2020;70:e858-e865.

Takada T, Hoogland J, Yano T, Fujii K, Fujiishi R, Miyashita J, Takeshima T, Hayashi M, Azuma T, Moons KGM. Added value of inflammatory markers to vital signs to predict mortality in patients suspected of severe infection. *Am J Emerg Med.* 2020;38(7):1389-95.

Takada T, van Doorn S, Parpia S, de Wit K, Anderson DR, Stevens SM, Woller SC, Ten Cate-Hoek AJ, Elf JL, Kraaijenhagen RA, Schutgens REG, Wells PS, Kearon C, Moons KGM, Geersing GJ. Diagnosing deep vein thrombosis in cancer patients with suspected symptoms: an individual participant data meta-analysis. *J Thromb Haemost.* 2020;18:2245-52.

Takagi T, Fukuda H, Ishihara H, Yoshida K, Kondo T, Kobayashi H, Iizuka J, Okumi M,

Ishida H, Omae K, Tanabe K. Predictive factors for recurrence after complete metastasectomy in patients with metastatic renal cell carcinoma in the targeted therapy era. *Urol Oncol*. 2020;38(5):515-20.

Takeda C, Takeuchi M, Mizota T, Yonekura H, Nahara I, Joo WJ, Dong L, Kawasaki Y, Kawakami K. The Association Between Arterial Pulse Waveform Analysis Device and In-Hospital Mortality in High-Risk Non-Cardiac Surgeries. *Acta Anaesthesiol Scand*. 2020;64(7):928-35.

Tanikawa Y, Kimachi M, Ishikawa M, Hisada T, Fukuhara S, and Yamamoto Y. Association between work schedules and motivation for lifestyle change in workers with overweight or obesity: a cross-sectional study in Japan. *BMJ Open*. 2020,10:e033000.

Tochitani K, Iwamoto N, Motobayashi H, Yamamoto S, Shimizu T. Imported and locally transmitted mild SARS-CoV-2 pneumonia cases in Japan. *J Infect Chemother*. 2020;26:854–7.

Tochitani K, Yamamoto S, Kamitani T, Yamazaki H, Fukuhara S, Yamamoto Y. Longitudinal association between mental health and future antibiotic prescriptions in healthy adults: Results from the LOHAS. *PLoS ONE*. 2020,15:e0240236–12.

Toyama M, Okuma Y, Yamamoto M, Kashihara K, Yoshida K, Saiki H, Maeda T, Tsuboi Y, Takahashi Y, Nakayama T. Non-motor symptoms depending on motor severity in Japanese patients with Parkinson's disease: A multicenter cross-sectional study. *J Neurol Sci*. 2020;412:116641. doi: 10.1016/j.jns.2019.116641.

Toyoura M, Miike T, Tajima S, Matsuzawa S, Konishi Y. Inadequate sleep as a contributor to impaired glucose tolerance: A cross-sectional study in children, adolescents, and young adults with circadian rhythm sleep-wake disorder. *Pediatr Diabetes*. 2020;21:557-64.

Tsujimoto H, Tsujimoto Y, Nakata Y, Fujii T, Takahashi S, Akazawa M, Kataoka Y. Pharmacological interventions for preventing clotting of extracorporeal circuits during continuous renal replacement therapy. *Cochrane Database Syst Rev*. 2020.

Tsunoda S, Obama K, Nishigori T, Hisamori S, Sakai Y: Robotic gastric mobilization in robotic minimally invasive esophagectomy. *J Thorac Dis*. 2020;12(7):3457-9.

Tsutsumi Y, Tsujimoto Y, Takahashi S, Tsuchiya A, Fukuma S, Yamamoto Y, Fukuhara S. Accuracy of aortic dissection detection risk score alone or with D-dimer: A systematic review and meta-analysis. *Eur Heart J Acute Cardiovasc Care*. 2020;9(3_suppl):S32-S39.

Uda S, Takeda C, Mizota T. Effect of droperidol addition to fentanyl- based intravenous patient-controlled analgesia on postoperative nausea and vomiting: a single-center retrospective cohort study. *JA Clinical Reports*. 2020;6:90.

Ueda T, Jo T, Okada K, Arai Y, Sato T, Maeda T, Onishi T, Ueda Y. Curative potential of fludarabine, melphalan, and non-myeloablative dosage of busulfan in elderly patients with myeloid malignancy. *Int J Hematol*. 2020;111:247-55.

Ueda Y, Tsunoda S, Hisamori S, Hashimoto K, Nishigori T, Sakaguchi M, Obama K, Sakai Y. Laparoscopic surgery for ventrally located epiphrenic diverticulum with esophageal achalasia. *Clin J Gastroenterol*. 2020;13(4):491-4.

Uneno Y, Sato K, Morita T, Nishimura M, Ito S, Mori M, Shimizu C, Horie Y, Hirakawa M, Nakajima T E, Tsuneto S, Muto M. Current status of integrating oncology and palliative care in Japan: a nationwide survey. *BMC Palliat Care*. 2020;19(1):12.

Uneno Y, Imura H, Makuuchi Y, Tochitani K, Watanabe N. Pre-emptive antifungal therapy versus empirical antifungal therapy for febrile neutropenia in people with cancer (Protocol). *Cochrane Database of Systematic Reviews*. 2020, Issue 5. Art. No.: CD013604.

Wada M, Nagata A, Kawashima A, Kagawa K. An Autopsy Case of TAFRO Syndrome with Type II Respiratory Failure. *Am J Case Rep*. 2020;21:e926721.

Wada N, Kataoka Y, Takemura T, Okazaki K, Saito E, Matsumoto H, Iki R, Nikaido J, Yuasa I, Fukada T, Takechi H, Sakai H, Itoi K. Trepopnea Due To Compression Of The Right Main Bronchus By The Vertebral Bodies: A Case Report. *The Internet Journal of Pulmonary Medicine* 2020;20(1).

Wada O, Kurita N#, Kamitani T, Mizuno K. Implications of evaluating leg muscle mass and fat mass separately for quadriceps strength in knee osteoarthritis: the SPSS-OK study. (#corresponding author) *Clinical Rheumatology* 2020;39:1655-61.

Wada O, Kurita N#, Yamada M, Mizuno K. Structural severity, phase angle, and quadriceps strength among patients with knee osteoarthritis: the SPSS-OK study. (#corresponding author) *Clinical Rheumatology* 2020;39:3049-56.

Wada R, Takeuchi J, Nakamura T, Sonoyama T, Kosaka S, Matsumoto C, Sakuma M, Ohta Y, Morimoto T. Clinical decision support system with renal dose adjustment; did not improve subsequent renal; a hepatic function among inpatients; JADE study. *Applied Clinical Informatics*. 2020;11:846-56.

Wagata M, Ishikuro M, Obara T, Nagai M, Mizuno S, Nakaya N, Nakamura T, Hirata T, Tsuchiya N, Metoki H, Ogishima S, Hozawa A, Kinoshita K, Kure S, Yaegashi N, Yamamoto M, Kuriyama S, Sugawara J. Low birth weight and abnormal pre-pregnancy body mass index were at higher risk for hypertensive disorders of pregnancy. *Pregnancy Hypertens*. 2020;22:119-25.

Wagata M, Kogure M, Nakaya N, Tsuchiya N, Nakamura T, Hirata T, Narita A, Metoki H, Ishikuro M, Kikuya M, Tanno K, Fukushima A, Yaegashi N, Kure S, Yamamoto M, Kuriyama S, Hozawa A, Sugawara J. Hypertensive disorders of pregnancy, obesity, and hypertension in later life by age group: a cross-sectional analysis. *Hypertens Res*. 2020;43(11):1277-83.

Watanabe J, Park D, Kakehi E, Inoue K, Ishikawa S, Kataoka Y. Efficacy and safety of the starting position during colonoscopy: a systematic review and meta-analysis. *Endosc Int Open*. 2020;08(07):E848-60.

Joo WJ, Ide K, Nishiyama K, Seki T, Tanaka H, Tsuchiya J, Ito N, Yoshida K, Kawakami K. Prediction of the neurological outcome using regional cerebral oxygen saturation in patients with extracorporeal cardiopulmonary resuscitation after out-of-hospital cardiac arrest: a multicenter retrospective cohort study. *Acute Medicine & Surgery* 2020;7: e491.

Wynants L, Van Calster B, Collins GS, Riley RD, Heinze G, Schuit E, Bonten MMJ, Damen JAA, Debray TPA, De Vos M, Dhiman P, Haller MC, Harhay MO, Henckaerts L, Kreuzberger N, Lohman A, Luijken K, Ma J, Andaur CL, Reitsma JB, Sergeant JC, Shi C, Skoetz N, Smits LJM, Snell KIE, Sperrin M, Spijker R, Steyerberg EW, Takada T, van Kuijk SMJ, van Royen FS, Wallisch C, Hooft L, Moons KGM, van Smeden M. Prediction models for diagnosis and prognosis of covid-19 infection: systematic review and critical appraisal. *BMJ* 2020 369:m1328.

Yahata S, Takeshima T, Kenzaka T, Okayama M. Long-term impact of undergraduate community-based clinical training on community healthcare practice in Japan: a cross-sectional study. *BMC Med Educ*. 2020;20(1):337.

Yamada S, Yamamoto S, Fukuma S, Nakano T, Tsuruya K, Inaba M. Geriatric Nutritional Risk Index (GNRI) and Creatinine Index equally predict the risk of mortality in hemodialysis patients: J-DOPPS. **Sci Rep.** 2020;10(1):5756.

Yamada T, Uchino J, Chihara Y, Shimamoto T, Iwasaku M, Tamiya N, Kaneko Y, Kiyomi F, Takayama K. Rationale and design of a phase II trial of durvalumab treatment in patients with NSCLC ineligible for stage III chemoradiotherapy following radiation monotherapy (SPIRAL-RT study). **Ther Adv Med Oncol.** 2020;12:175883592092784.

Yamada Y, Uchida T, Ogino M, Ikenoue T, Shiose T, Fukuma S. Changes in older people's activities during the Covid-19 pandemic in Japan. **JAMDA.** 2020;21(10):1387–8

Yamaguchi H, Honda M, Hamada K, Kobayashi H, Todate Y, Seto I, Takayama K, Suzuki M, Wada H, Kikuchi Y, Murakami M. The effectiveness of proton beam therapy for liver metastatic recurrence in gastric cancer patients. **Japanese Journal of Clinical Oncology** 2020;50(8):903-8.

Yamamoto K, Takahashi T, Urasaki M, Nagayasu Y, Shimamoto T, Tateyama Y, Matsuzaki K, Kobayashi D, Kubo S, Mito S, Abe T, Matsuura H, Iwami T. A Health Observation App for COVID-19 Symptom Tracking Integrated with Personal Health Records: Proof of Concept and Practical Use. **JMIL mHealth and uHealth.** 2020;8(7): e19902. (責任著者)

Yamamoto S, Nagamine Y, Miyashita T, Ito S, Iwasawa Y, Kawai M, Saito S, Tamai T, Goto T. Perioperative and anesthetic risk factors of surgical site infection in patients undergoing pancreaticoduodenectomy: A retrospective cohort study. **PLoS One.** 2020,15:e0240490.

Yamamoto S, Yamamoto M, Nakamura J, Mii A, Yamamoto Shigenori, Takahashi M, Kaneko K, Uchino E, Sato Y, Fukuma S, Imamura H, Matsuda M, Yanagita M. Spatiotemporal ATP dynamics during acute kidney injury predicts renal prognosis. **J Am Soc Nephrol.** 2020;31(12):2855-69.

Yamamoto-Kataoka S, Shimizu S, Hijikata Y, Fukuhara S, Yamamoto Y. Low Back Pain and Associated Occupational Factors among Nursery School Teachers: A Multicenter, Cross-sectional Study. **Annals of Clinical Epidemiology** 2020;2:113-20.

Yamashita H, Takahashi Y, Ishizaki T, Imura H, Nakayama T. Associations of multimorbidity with breast, cervical, and colorectal cancer screening delivery: a cross-sectional study of a nationally representative Japanese sample. **Cancer Epidemiology** 2020,69:101798.

Yamazaki H, Kanazawa Y, Omori K. Advantages of double density alignment of fNIRS optodes to evaluate cortical activities related to phonological short-term memory using NIRS-SPM. **Hear Res.** 2020,395:108024.

Yamazaki H, Tauchi S, Wang J, Dohke M, Hanawa N, Kodama Y, Katanuma A, Saisho Y, Kamitani T, Fukuhara S, Yamamoto Y. Longitudinal association of fatty pancreas with the incidence of type-2 diabetes in lean individuals: a 6-year computed tomography-based cohort study. **Journal of Gastroenterology** 2020;55:712-21.

Yamazaki H, Wang J, Tauchi S, Dohke M, Hanawa N, Katanuma A, Saisho Y, Kamitani T, Fukuhara S, Yamamoto Y. Inverse Association Between Fatty Liver at Baseline Ultrasonography and Remission of Type-2 Diabetes Over a 2-year Follow-up Period. **Clinical Gastroenterology and Hepatology** 2020,S1542-3565:30843-0. doi: 10.1016/j.cgh.2020.06.032.

Yanase F, Fujii T, Bellomo R. Harm or Benefit of High-Dose Vitamin C in Adult Patients With Sepsis and Glucose-6-Phosphate Dehydrogenase Deficiency? The authors reply. **Crit Care Med.** 2020;48(12):e1356-e1357.

Yanase F, Fujii T, Naorungroj T, Belletti A, Luethi N, Carr AC, Young PJ, Bellomo R. Harm of IV High-Dose Vitamin C Therapy in Adult Patients: A Scoping Review. **Crit Care Med.**2020;48:00–00 DOI: 10.1097/CCM.0000000000004396

Yang Y, Hozawa A, Kogure M, Narita A, Hirata T, Nakamura T, Tsuchiya N, Nakaya N, Ninomiya T, Okuda N, Kadota A, Ohkubo T, Okamura T, Ueshima H, Okayama A, Miura K. Dietary inflammatory index positively associated with high-sensitivity C-reactive protein level in Japanese from NIPPON DATA 2010. **J Epidemiol.** 2020;30:98-107.

Yazawa M, Omae K, Shibagaki Y, Inaba M, Tsuruya K, Kurita N. The effect of transportation modality to dialysis facilities on health-related quality of life among hemodialysis patients; from the Japanese Dialysis Outcomes and Practice Pattern Study (J-DOPPS). **Clinical Kidney Journal** 2020;13:640-46.

Yonekura H, Kamei M. Clinical utility of Duke Activity Status Index for preoperative risk assessment. **Br J Anaesth.** 2020;124:261–70.

Yonekura H, Kawasaki Y, Nakamori Y, Kamei M. The Use of Sodium Bicarbonate for Metabolic Acidosis in Patients With Acute Kidney Injury. **Crit Care Med.** 2020;48:e251–2.

Yoshida N, Saito Y, Tsujimoto Y, Taito S, Banno M, Kataoka Y, Yamashita T, Hirata K. The impact of antibiotics on the metabolic status of obese adults without bacterial infection: a systematic review and meta-analysis. **Ann Transl Med.** 2020;8(17):1059–1059.

Yoshimura S, Kimata S, Sahker E, Taniguchi T, Watanabe N. The effectiveness of the modified Valsalva Manoeuvre for reversion of supraventricular tachycardia (Protocol). **Cochrane Database Syst Rev.** 2020.

Yoshioka T, Ikenoue T, Hashimoto H, Otsuki H, Oeda T, Ishito N, Watanabe R, Saika T, Araki M, Fukuhara S, Yamamoto Y, Okayama-Ehime S.W.L. Study Group. Development and validation of a prediction model for failed shockwave lithotripsy of upper urinary tract calculi using computed tomography information: the S3HoCKwave score. **World J Urol.** 2020;38:3267-73.

Yoshioka T, Omae K, Kawada T, Inoue Y, Sugimoto M, Oeda T, Uehara S, Araki M, Fukuhara S. Preoperative Use of Alpha-1 Receptor Blockers in Male Patients Undergoing Extracorporeal Shock Wave Lithotripsy for a Ureteral Calculus. **Acta Med Okayama.** 2020;74:293-299.

Yoshizaki A, Mohri I, Yamamoto T, Shiota A, Okada S, Murata E, Hoshino K, Kato-Nishimura K, Matsuzawa S, Kato T, Taniike M. An Interactive Smartphone App, Nenne Navi, for Improving Children's Sleep: Pilot Usability Study. **JMIR Pediatr Parent.** 2020 3:e22102

Yutaka K, Kohei Ota, Haruki Imura, Naoki Hara, Nobuyuki Shime: Prolonged versus intermittent β -lactam antibiotics intravenous infusion strategy in sepsis or septic shock patients: a systematic review with meta-analysis and trial sequential analysis of randomized trials. *Journal of Intensive Care*, 2020 Oct 6;8:77.

Nakayama Y, Kobayashi H, Kawamura H, Matsunaga R, Todate Y, Takano Y, Takahashi K, Yamauchi S, Sugihara K, Honda M. The long-term outcomes in adolescent and young adult patients with colorectal cancer -A multicenter large-scale cohort study. **J of Cancer.**

2020;11:3180-85.

Yamada Y, Fujiwara M, So R, Edahiro S, Matsui Y, Sakamoto S, Kawada K, Takaki M, Ishizu S, Kanazawa K, Kishi Y, Yamada N. Electroconvulsive Therapy Is Effective and Safe for Serious Catatonia-Related Ileus: Two Case Reports. **J ECT**. 2020;36(4):e49-e51.

<2019 年>

Fujita N, Fujimoto H, Hamamatsu K, Murakami T, Kimura H, Toyoda K, Saji H, Inagaki N: Noninvasive longitudinal quantification of β -cell mass with [¹¹¹In]-labeled exendin-4. **FASEB J** 2019, 11836-44

Ida T, Kusaba T, Kado H, Taniguchi T, Hatta T, Matoba S, Tamagaki K: Ambulatory blood pressure monitoring-based analysis of long-term outcomes for kidney disease progression. **Sci Rep**. 2019,9(1):19296.

Ikeda-Sakai Y, Saito Y, Obara T, Goto M, Sengoku T, Takahashi Y, Hamada H, Nakayama T, Murashima A. Inadequate Folic Acid Intake Among Women Taking Antiepileptic Drugs During Pregnancy in Japan: A Cross-Sectional Study. **Sci Rep**. 2019 Sep 18;9(1):13497.

Ito H, Tominari S, Tabara Y, Nakayama T, Furu M, Kawata T, Azukizawa M, Setoh K, Kawaguchi T, Matsuda F, Matsuda S; Nagahama Study group. Low back pain precedes the development of new knee pain in the elderly population; a novel predictive score from a longitudinal cohort study. **Arthritis Res Ther**. 2019 Apr 15;21(1):98.

Sakagami Y, Takeuchi J. Risk Factors of Poor Mental Health Outcomes When Studying Abroad: A Retrospective Cohort Study at a Japanese University. **J Community Med Health Educ**. 2019,9:653.

Soar J, Maconochie I, Wyckoff MH, Olasveengen TM, Singletary EM, Greif R, Aickin R, Bhanji F, Donnino MW, Mancini ME, Wyllie JP, Zideman D, Andersen LW, Atkins DL, Aziz K, Bendall J, Berg KM, Berry DC, Bigham BL, Bingham R, Couto TB, Böttiger BW, Borra V, Bray JE, Breckwoldt J, Brooks SC, Buick J, Callaway CW, Carlson JN, Cassan P, Castrén M, Chang WT, Charlton NP, Cheng A, Chung SP, Considine J, Couper K, Dainty KN, Dawson JA, de Almeida MF, de Caen AR, Deakin CD, Drennan IR, Duff JP, Epstein JL, Escalante R, Gazmuri RJ, Gilfoyle E, Granfeldt A, Guerguerian AM, Guinsburg R, Hatanaka T, Holmberg MJ, Hood N, Hosono S, Hsieh MJ, Isayama T, Iwami T, Jensen JL, Kapadia V, Kim HS, Kleinman ME, Kudenchuk PJ, Lang E, Lavonas E, Liley H, Lim SH, Lockey A, Lofgren B, Ma MH, Markenson D, Meaney PA, Meyran D, Mildenhall L, Monsieurs KG, Montgomery W, Morley PT, Morrison LJ, Nadkarni VM, Nation K, Neumar RW, Ng KC, Nicholson T, Nikolaou N, Nishiyama C, Nuthall G, Ohshimo S, Okamoto D, O'Neil B, Yong-Kwang Ong G, Paiva EF, Parr M, Pellegrino JL, Perkins GD, Perlman J, Rabi Y, Reis A, Reynolds JC, Ristagno G, Roehr CC, Sakamoto T, Sandroni C, Schexnayder SM, Scholefield BR, Shimizu N, Skrifvars MB, Smyth MA, Stanton D, Swain J, Szyld E, Tijssen J, Travers A, Trevisanuto D, Vaillancourt C, Van de Voorde P, Velaphi S, Wang TL, Weiner G, Welsford M, Woodin JA, Yeung J, Nolan JP, Fran Hazinski M. 2019 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations: Summary From the Basic Life Support; Advanced Life Support; Pediatric Life Support; Neonatal Life Support; Education, I. **Circulation** 2019;140(24):e826 - 80.

Soar J, Maconochie I, Wyckoff MH, Olasveengen TM, Singletary EM, Greif R, Aickin R, Bhanji F, Donnino MW, Mancini ME, Wyllie JP, Zideman D, Andersen LW, Atkins DL, Aziz K, Bendall J, Berg KM, Berry DC, Bigham BL, Bingham R, Couto TB, Böttiger BW, Borra V, Bray JE, Breckwoldt J, Brooks SC, Buick J, Callaway CW, Carlson JN, Cassan P, Castrén M, Chang WT, Charlton NP, Cheng A, Chung SP, Considine J, Couper K, Dainty KN, Dawson JA, de Almeida MF, de Caen AR, Deakin CD, Drennan IR, Duff JP, Epstein JL, Escalante R, Gazmuri RJ, Gilfoyle E, Granfeldt A, Guerguerian AM, Guinsburg R, Hatanaka T, Holmberg MJ, Hood N, Hosono S, Hsieh MJ, Isayama T, Iwami T, Jensen JL,

Kapadia V, Kim HS, Kleinman ME, Kudenchuk PJ, Lang E, Lavonas E, Liley H, Lim SH, Lockey A, Lofgren B, Ma MH, Markenson D, Meaney PA, Meyran D, Mildenhall L, Monsieurs KG, Montgomery W, Morley PT, Morrison LJ, Nadkarni VM, Nation K, Neumar RW, Ng KC, Nicholson T, Nikolaou N, Nishiyama C, Nuthall G, Ohshimo S, Okamoto D, O'Neil B, Ong GY, Paiva EF, Parr M, Pellegrino JL, Perkins GD, Perlman J, Rabi Y, Reis A, Reynolds JC, Ristagno G, Roehr CC, Sakamoto T, Sandroni C, Schexnayder SM, Scholefield BR, Shimizu N, Skrifvars MB, Smyth MA, Stanton D, Swain J, Szyld E, Tijssen J, Travers A, Trevisanuto D, Vaillancourt C, Van de Voorde P, Velaphi S, Wang TL, Weiner G, Welsford M, Woodin JA, Yeung J, Nolan JP, Hazinski MF. 2019 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. **Resuscitation** 2019;145:95-150.

国際学会発表

Ebina K, Hirano T, Maeda Y, Yamamoto W, Hashimoto M, Murata K, Takeuchi T, Shiba H, Son Y, Amuro H, Onishi A, Akashi K, Hara R, Katayama M, Yamamoto K, Kumanogoh A, Hirao M. Drug Retention of 7 Biologics And Tofacitinib In Biologics-naïve and Biologics-switched patients with rheumatoid arthritis -the ANSWER Cohort study. Oral presentation at the European League Against Rheumatology Congress, June 2020.

Fujita K, Yazumi S, Kawamoto H, Takenaka M, Maruo T, Matsumoto K, Matsumoto H, Asada M, Nebiki H, Kurita A, Onoyama T, Tomoda T, Ueki T, Hanada K, Tsujimae M, Matsubara T, Yasumura S, Okazaki A, Hirao K, Tamura T, Marui S, Kamada H, Hasegawa K, Noguchi C, Mitoro A, Katayama T, Kawamura T : A MULTICENTER PROSPECTIVE COHORT STUDY OF ADVERSE EVENTS ASSOCIATED WITH BILIARY ERCP. Digestive Disease Week 2020

Imanaka M, Kim M, Kuwajima C, Sakamoto H, Hosokawa M, Nakagi N, Tatano H, Fukuda S, Takeuchi J. Survey with health literacy, health awareness and dietary habits about the growth period in Korea and Japan. Annual Meeting of Korean Society of Food and Nutrition, Korea, 2020. (ポスター優秀賞)

Ishida M, Matsuzaki K, Ikai H, Suzuki H, Suzuki Y: Cost analysis of screening for IgA nephropathy using novel biomarkers. 57th ERA-EDTA (European Renal Association-European Dialysis and Transplant Association) congress, June 2020.

Itatani Y, Yamamoto T, Ferrara N. Angiogenesis and Vascular Normalization in Tumor Immunity and Treatment Response. AACR 2020.

Izawa J, Matsuzaki K, Raita Y, Uehara G, Nishioka N, Yano H, Sudo K, Katsuren M, Ohigashi T, Sozu T, Kawamura T, Miyasato H. The Effect of Intravenous Tranexamic Acid in Percutaneous Renal Biopsy: A Randomized Controlled Trial. American Society of Nephrology Kidney Week, November 2019, District of Columbia, USA

Kataoka Y, Luo Y, Chaimani A, Onishi A, Kimachi M, Tsujimoto Y, Murad MH, Li T, Cipriani A, Furukawa TA. Cumulative network meta-analyses, practice guidelines, and actual prescriptions for post-menopausal osteoporosis: a metaepidemiological study. In: Advances in Evidence Synthesis: special issue. Cochrane Database of Systematic Reviews 2020;(9 Suppl 1):[457]

Katsuyama E, Miyawaki Y, Sada KE, Asano Y, Hayashi K, Yamamura Y, Hiramatsu-Asano S, Morishita M, Ohashi K, Watanabe H, Katsuyama T, Narazaki M, Matsumoto Y, Wada J. Association of explanatory histological findings and urinary protein and serum creatinine levels at renal biopsy in lupus nephritis: a cross-sectional study. BMC Nephrol 2020;21:208. PMID: 32487161

Kawamura, H., Morishima, T., Sato, A., Honda, M., Miyashiro, I.: Effect of adjuvant chemotherapy on survival benefit in stage III colon cancer patients stratified by age: a real-world cohort study. American Society of Colon & Rectal Surgeons, 2020.

Kawasoe S, Kubozono T, Ojima S, Kawabata T, Miyahara H, Tokushige K, Ohishi M. Gender differences in the effects of weight reduction on future blood pressure elevation in the overweight middle-aged population. European Society of Cardiology congress, 2020

Kazuya Abe, Nobuyuki Yajima, Yuichi Ishikawa, Kita Yasuhiko, Ken-ei Sada, Ryusuke Yoshimi, Yasuhiro Shimojima, Shigeru Ohno, Hiroshi Kajiyama, Kunihiro Ichinose, Shuzo Sato, Michio Fujiwara. Evaluation of low dose glucocorticoid effects on infection occurrence in systemic lupus erythematosus patients. American College of Rheumatology

meeting 2020 (#1835). 9. Nov.2020

Kumagai S, Takahashi S, Takahashi M, Saito T, Yoshida K, Katayama M, Mukohara S, Amano N, Onishi A, Shinohara M, Hatachi S. Development of a prediction model for maximum methotrexate (MTX) dose without hepatotoxicity using an index of erythrocyte MTX-polyglutamate (MTX-PG) levels speculated by clinical and genetic markers. Poster presentation at the European League Against Rheumatology Congress, June 2020.

Maeda Y, Hirano T, Hara R, Ebina K, Hashimoto M, Yamamoto W, Murakami K, Kotani T, Hata K, Son Y, Amuro H, Onishi A, Sadao J, Katayama M, Kumanogoh A. Anti-IL-6 receptor antibody ameliorates disease activity of rheumatoid arthritis patients with knee joint involvement – ANSWER cohort study-. Poster presentation at the European League Against Rheumatology Congress, June 2020.

Matsuzaki K, Suzuki H, Imai T, Aida R, Barbour SJ, Cattran DC, Katafuchi R, Suzuki Y: Effect of the corticosteroid therapy in IgA nephropathy varied by presence of the crescent lesion. ASN KIDNEY WEEK 2020 REIMAGINED, October 2020.

Murakami K, Hashimoto M, Murata K, Yamamoto W, Hara R, Katayama M, Onishi A, Akashi K, Nagai K, Son Y, Amuro H, Hirano T, Ebina K, Nishitani K, Tanaka M, Ito H, Ohmura K. Obesity predicts response to not all but certain biological/targeted disease modifying anti-rheumatic drugs for rheumatoid arthritis -results from ANSWER cohort. Poster presentation at the European League Against Rheumatology Congress, June 2020.

Naka I, Saegusa J, Uto K, Yamamoto Y, Ichise Y, Yamada H, Akashi K, Ueda Y, Onishi A, Okano T, Takahashi S, Sendo S, Morinobu A. Combined inhibition of autophagy and glutamine metabolism suppresses cell growth of RA synoviocytes and ameliorates arthritis in SKG mice. Poster presentation at the European League Against Rheumatology Congress, June 2020.

Nishigori T, Yoshida S, Tsunoda S, Nobori Y, Kobayashi A, Obama K, Shinohara H, Shide K, Inagaki N, Sakai Y: Changes in skeletal muscle mass during two years after esophagectomy: a prospective cohort study. American Society for Parenteral and Enteral Nutrition 2020, March 2020

Nishioka N, Kobayashi D, Izawa J, Kiguchi T, Kitamura T, Kawamura T, Iwami T. Association Between Serum Lactate During Cardiopulmonary Resuscitation and Survival in Adult Out-Of-Hospital Cardiac Arrest: A Multicenter Cohort Study (The Critical Study in Osaka, Japan). Resuscitation Science Symposium 2019, Nov 2019.

Okano T, Saegusa J, Yoneda K, Shirasugi I, Ueda Y, Akashi K, Onishi A, Morinobu A. Clinical spectrum and long-term follow-up of systemic lupus erythematosus-associated macrophage activation syndrome. Poster presentation at the European League Against Rheumatology Congress, June 2020.

Tomoko Fujii on behalf of VITAMINS trial investigators. Vitamin C, Hydrocortisone and ThiAMINE in Patients with Septic Shock (VITAMINS) Trial. (Invited speaker) Critical Care Reviews Meeting (Belfast, Northern Ireland, UK), January 17, 2020.

Yamada H, Saegusa J, Sendo S, Ueda Y, Okano T, Fujikawa Y, Yamamoto Y, Nagamoto T, Ichise Y, Naka I, Akashi K, Onishi A, Shinohara M, Morinobu A. Resolvin D5 modulates Th17/Treg cell differentiation and suppresses osteoclastogenesis. Poster presentation at the European League Against Rheumatology Congress, June 2020.

Yamamoto Y, Okano T, Nagamoto T, Fujikawa Y, Ichise Y, Yamada H, Naka I, Ueda Y, Akashi K, Sendo S, Onishi A, Saegusa J, Morinobu A. Soluble guanylate cyclase reduced

the gastrointestinal fibrosis in bleomycin-induced mouse model of systemic sclerosis.
Poster presentation at the European League Against Rheumatology Congress, June 2020.

Yamashita T., Matsumoto K., Noma H., Fujita K., Yazumi S., Tomoda T., Onoyama T., Hanada K., Okazaki A., Hirao K., Goto D., Moriyama I., Kushiyama Y., Takenaka M., Maruo T., Katayama T., Kawamura T., Kurita A., Ueki T., Matsumoto H., Asada M., Nebiki H., Tsujimae M., Matsubara T., Yasumura S., Tamura T., Marui S., Mitoji A., Kamada H., Hasegawa K., Noguchi C., Masuda A., Takada R., Takeda Y., Isomoto H., Kawamoto H. :PROGNOSTIC FACTORS OF SEVERE POST-ERCP PANCREATITIS - A MULTICENTER PROSPECTIVE COHORT STUDY. United European Gastroenterology Week 2020

Yonekura H, Kawakami K: Anesthesia & Analgesia: State-of-the-Art. Preoperative Echocardiography for Patients with Hip Fractures Undergoing Surgery: A Retrospective Cohort Study Using a Nationwide Database. Society of Cardiovascular Anesthesiologists, 2020 Annual meeting & workshops.

Yonekura H, Nakamori Y, Taito S: Adjunctive acetaminophen for preventing postoperative delirium in surgical patients: a systematic review and meta-analysis. European Society of Intensive Care Medicine 2020 Annual meeting.

Yumie I, Miho E, Yoshimitsu T, Takeo N, Masaki M: Reliability and Validity of the Japanese version of Daily Records of Severity of Problems. International Society of Gynecological Endocrinology the 19th World Congress, December 2020.

受賞歴

<2020 年>

- Yan Luo 2020 EBMLive David L. Sackett Fellowship
- 井田諭 第 27 回日本老年医学会優秀論文賞
- 岡村亮輔 京都大学次世代研究創成ユニット”世界視力を備えた次世代トップ研究者育成プログラム(L-INSIGHT)” 2020 年フェロー
- 岡田遥平 2020 年日本蘇生協議会 最優秀演題賞 JRC Okada Award
- 錦織達人 日本疫学会第 30 回学術総会 優秀演題賞
- 宗 龍平 日本精神神経学会 第 116 回日本精神神経学会学術総会 優秀発表賞
- 新井康之 米国血液学会 ASH Global Research Award
- 新川神奈 第 11 回臨床医学研究塾 推薦奨励賞
- 西岡典宏 American Heart Association, Resuscitation Science Symposium, Young Investigator Award 2019
- 土方保和 第 10 回最小侵襲脊椎治療学会(2020)最優秀演題賞
- 畠山稔弘 日本心臓病学会 Journal of Cardiology 2020 年上田賞
- 武田匡生、堀口由貴男、池之上辰義、山田ゆかり、福間真悟、榎木哲夫、中西弘明:
特定保健指導記録から健康状態の典型を抽出するための多形式トピックモデル. 計測自動制御学会 システム・情報部門学術講演会 優秀論文賞、2020 on line.
- 福井雄大 第 120 回日本外科学会定期学術集会 Young Investigator's Award
- 米倉寛 2020 年 9 月 臨床研究助成賞, 日本臨床疫学会
2020 年 6 月 2020 年度若手奨励賞, 日本麻酔科学会
2019 年 7 月 2019 年度若手奨励賞, 日本臨床麻酔学会
- 和田幹生 日本プライマリ・ケア連合学会 英文誌 優秀論文賞

獲得助成金

- Yan Luo 2021 年度採用分日本学術振興会特別研究員-DC2: 患者特性に応じた関節リウマチの精密医療アルゴリズム研究:個人データメタアナリシス
- 遠藤龍人 科学研究費補助金(基盤研究 C)「オーラル・フレイル克服を視野に入れた栄養管理の実態調査と看護教育システムの構築」令和 2 年~4 年度(研究代表者)
- 岡林里枝 基盤研究 C「前期高齢者のボランティア参加と認知症発症に関するパネルデータ研究」(令和 2 年~令和 4 年度)分担研究者
基盤研究 C「遠隔支援システムを用いた社会的ジェットラグに対する睡眠行動療法プログラムの開発」(令和 4 年~令和 5 年度)分担研究者
- 菊池志乃 2020 年度 岡本記念財団研究助成金
- 吉村聡志 令和元年度長崎県医師会医学研究助成金:「高齢慢性心不全患者における肺炎球菌ワクチン接種の有無と心不全増悪の関連を調べる前向きコホート研究」
- 宮脇義亜 日本学術振興会科学研究費補助金若手研究(一般)(R2 年度~R4 年度)
- 橋本克彦 2020 年度 科学研究費補助金(科研費) 若手研究
救急救命士による病院前ブドウ糖投与の現状記述と時系列/横断的分析による制度評価
- 金沢佑治 文部省科学研究費 若手研究 平成 31 年~令和 3 年
厚生労働科学研究(循環器疾患・糖尿病等生活習慣病対策総合研究事業)「後期高齢者の歯科受診による全身疾患の予防効果に関する研究:傾向スコアを用いた共変量調整法による因果効果の推定」研究分担者(研究代表者:石崎達郎, 令和 2 年度)
- 宗龍平 岡本記念財団 研究活動助成
- 松岡由典 日本学術振興会 科学研究費助成事業 若手研究(20K17881)「難治性心室細動・無脈性心室頻拍患者に対する地域救急搬送システムの構築」
- 新井康之 日本血液学会 研究助成
ロッセ財団研究奨励研究助成
がん研究振興財団 がんサバイバーシップ研究支援事業
日本健康アカデミー 健康知識・教育に係る公募助成
- 青木拓也 プライマリ・ケア機能が外来臨床指標に及ぼす影響. 日本学術振興会: 科学研究費補助金(若手研究). 研究期間: 2020 年 4 月 - 2023 年 3 月(研究代表者)
- 船田哲 科研費 若手研究
- 谷口琢也 平成 31 年度文部科学省科学研究費助成事業 若手研究 「慢性鼻副鼻腔炎は心房細動の発症要因になりうるか?」 課題番号:19K17611 研究期間:2019 年度~2022 年度(研究代表者)
- 竹谷朱 2020 年度 第 I 期 京都大学若手研究者スタートアップ研究費
- 竹島太郎 科研費(基盤研究 C)「新たな高齢者向け包括的症状測定ツール SymTrak - 健康指標としての意義」令和 2 年~4 年度(研究代表者)
- 中奥由里子 科研費 若手研究
- 中山祐次郎 ESMO Asia Virtual Congress 2020 Free Registration (Oct 2020) 文部科学省科学研究費(若手研究)「消化器癌罹患後の就労阻害因子の検討」(2020 - 2023)
- 長嶺祐介 QOL を長期アウトカムに設定した周術期データベースの構築と臨床疫学研究, 科学研究費助成事業若手研究, 令和 2 年度-令和 5 年度, 研究代表者:長嶺祐介
- 采野優 死亡診断時の意志の立ち居振る舞いに関するコンピテンシー(能力:知識・技能・態度)の確立 日本ホスピス・緩和ケア研究振興財団 2020 年度 ホスピス/緩和ケアに関する調査・研究助成(分担研究者)
がん終末期患者における血中アミノ酸欠乏を標的とする新規治療法の開発 公益財団法人 ホクト生物化学振興財団 令和 2 年度研究奨励金給付事業(主任研究者)
- 武田親宗 2020 年度 第 I 期 京都大学若手研究者スタートアップ研究費 心原性ショックを伴う急性心筋梗塞に対する治療実態の疫学研究 過去起点コホート研究
- 武内治郎 科学研究費補助金(若手). 青年期における流行性耳下腺炎の流行を防ぐ方略の探索. 2020 年度. 文部科学省. 年度配分額(直接 1,700 千円/間接 510 千円)/年度総

額 2,210 千円。(代表研究者)

小児の社会医学的研究. 小児・思春期の入院患者における医療関連有害事象に関してこころの問題領域と身体疾患領域とを比較した臨床疫学研究. 2019 年度. 公益財団法人小児医学研究振興財団. 年度配分額 600 千円/年度総額 600 千円。(代表研究者)

科学研究費補助金(基盤研究 C). 小児から成人へ向けてのアレルギーマーチ進展予防戦略の確立を目指した疫学的研究. 2020 年度. 文部科学省(代表:龍谷大学農学部食品栄養学科 楠隆). 年度配分額 100 千円/年度総額 1,820 千円。(分担研究者)

科学研究費補助金(基盤研究 B). 日常診療で見逃される医原性有害事象の検出法及び発生率に関する臨床疫学研究. 2020 年度. 文部科学省(代表:兵庫医科大学臨床疫学 森本剛). 年度配分額 100 千円/年度総額 4,500 千円。(分担研究者)

科学研究費補助金(基盤研究 C). 薬剤性有害事象及び薬剤関連エラーの発生予測モデルの作成とその検証. 2020 年度. 文部科学省(代表:兵庫医科大学臨床疫学 作間未織). 年度配分額 100 千円/年度総額 1,040 千円。(分担研究者)

日本医療研究開発機構研究費(研究公正高度化モデル開発支援事業). 臨床研究トレーニングに組み入れ可能な能動的な研究倫理学習プログラムの開発. 2020 年度. 日本医療研究開発機構(代表:森本剛). 研究代表者一括計上/年度総額 23,000 千円。(分担研究者)

「乳の学術連合」学術研究「食と教育」分野(一般社団法人 Jミルク)韓国と日本の食育における牛乳・乳製品の価値観について ~健康寿命の延伸をめざすヘルスリテラシー教育の現状と課題~. 2020 年度.(代表:島根県立大学 今中美栄). 研究代表者一括計上/年度総額 1,000 千円。(分担研究者)

北東アジア地域学術交流研究助成金(共同プロジェクト研究助成金)北東アジア地域でのヘルスリテラシーの評価と効果的な醸成教育プログラムの構築~健康長寿社会に向けての韓国と日本における共同研究~. 2020 年度.(代表:島根県立大学 今中美栄). 研究代表者一括計上/年度総額 875 千円。(分担研究者)

福間真悟 大規模ヘルスデータを活用した慢性腎臓病診療の unmet need の同定. 協和キリン株式会社社委託研究、2020-2022.

効果的な特定健診・特定保健指導の調査研究. 株式会社シグマクス・厚生労働省委託研究、2020.

エビデンスに基づく保険者機能の強化. 全国健康保険協会 委託研究 2020-2022.

福森則男 日本学術振興協会科学研究費助成事業 若手研究「医学生の自己主導型学習能力と診療参加型臨床実習中の学習行動および学修評価との関連」. 2020 年度~2022 年度. 研究代表者.

平田匠 日本学術振興会 科学研究費助成事業(学術研究助成基金助成金)(基盤研究(C))「環境因子と高血圧の関連に及ぼす遺伝因子の影響に関する検討」研究代表者(令和 2 年度~令和 4 年度)

米倉寛 術前心エコー検査の適正利用に関する戦略的研究の推進
課題番号:20K17834 総額:3,510,000 円
日本学術振興会: 科学研究費助成事業 若手研究

矢嶋宣幸 厚生労働科学研究費補助金(免疫アレルギー疾患政策研究事業)「ライフステージに応じた関節リウマチ患者支援に関する研究」:分担研究者(令和 1-3 年度)

文部科学省科学研究費補助金 基盤研究(C)「全身性エリテマトーデス患者の行動変容を促すモバイルヘルスシステム開発と効果検証」:研究代表者(2020-2022 年度)課題番号:20K10351

厚生労働科学研究費補助金(政策科学総合研究事業(臨床研究等 ICT 基盤構築・人工知能実装研究事業))「PRO-CTCAE の日本語版の実臨床および臨床試験における有効性の評価」:分担研究者(2020-2022 年度)